

Pendant Lights

Woody



VK/04582/PE/NW/W/130



VK/04582/PE/NW/W/150




VK/04582/PE/NW/W/180

Dimmable

VK/04582/PE

Code	Model	Box
75169-023775	VK/04582/PE/NW/W/130 ● **Natural wood.** 3000K. 23W. 2830lm. **130cm**	1pc
75169-024775	VK/04582/PE/NW/W/150 ● **Natural wood.** 3000K. 25W. 3200lm. **150cm**	1pc
75169-025775	VK/04582/PE/NW/W/180 ● **Natural wood.** 3000K. 27W. 3650lm. **180cm**	1pc



Details

Material **Beechwood, aluminium profile, ledstrips, 2m exposed transparency LED cable**
Type of Led **3A chips ledstrip**
Voltage **AC220-240V**
Location **Ceiling**

Beam angle **120°**
Working temperature **< 50°C**
Lifetime **25.000hrs**
Dimmable **Yes, Dali**
CRI**>80**
Guarantee **2 Years**

Natural wood

IP20



Woody



VK/04581/PE/NW/W/120



VK/04581/PE/DW/W/150




VK/04581/PE/NW/W/180

Dimmable

VK/04581/PE


Code	Model	Box
75169-017775	VK/04581/PE/NW/W/120 ● **Natural wood.** 3000K. 23W. 2830lm. **120cm**	1pc
75169-020775	VK/04581/PE/DW/W/120 ● **Dark wood.** 3000K. 23W. 2830lm. **120cm**	1pc
75169-018775	VK/04581/PE/NW/W/150 ● **Natural wood.** 3000K. 25W. 3200lm. **150cm**	1pc
75169-021775	VK/04581/PE/DW/W/150 ● **Dark wood.** 3000K. 25W. 3200lm. **150cm**	1pc
75169-019775	VK/04581/PE/NW/W/180 ● **Natural wood.** 3000K. 27W. 3650lm. **180cm**	1pc
75169-022775	VK/04581/PE/DW/W/180 ● **Dark wood.** 3000K. 27W. 3650lm. **180cm**	1pc




Details

Material **Ashwood/American Dark walnut wood, aluminium profile, ledstrips, 2m exposed transparency LED cable**
Type of Led **3A chips ledstrip**
Voltage **AC220-240V**
Location **Ceiling**

Beam angle **120°**
Working temperature **< 50°C**
Lifetime **25.000hrs**
Dimmable **Yes, Dali**
CRI**>80**
Guarantee **2 Years**




Natural wood



Dark wood







IP20



Orra



VK/04569/PE/WD/W/118



VK/04569/PE/WD/W/150

Dimmable

VK/04569/PE/WD/W


Code	Model	Box
71164-058702	VK/04569/PE/WD/W/118 ● **Wood.** 3000K. 41W. 2.466lm. **118cm**	1pc
71164-059702	VK/04569/PE/WD/W/150 ● **Wood.** 3000K. 49W. 2.710lm. **150cm**	1pc


Details

Material **Aluminum+Silicone**
Location **Ceiling**
Type of LED **SMD 2835**
CRI **Ra>80**

Hours **30.000**
Beam angle **120°**
Working temperature **-20°C ~ 60°C**
Updown

TRIAC **IP20**





Woody



VK/04579/PE/NW/W/42



VK/04579/PE/DW/W/51



VK/04579/PE/NW/W/61

Dimmable

VK/04579/PE


Code	Model	Box
75169-001775	VK/04579/PE/NW/W/42 ● **Natural wood.** 3000K. 35W. 3900lm. CRI>90 **ø42cm**	1pc
75169-004775	VK/04579/PE/DW/W/42 ● **Dark wood.** 3000K. 35W. 3900lm. CRI>90 **ø42cm**	1pc
75169-002775	VK/04579/PE/NW/W/51 ● **Natural wood.** 3000K. 40W. 4805lm. CRI>90 **ø51cm**	1pc
75169-005775	VK/04579/PE/DW/W/51 ● **Dark wood.** 3000K. 40W. 4805lm. CRI>90 **ø51cm**	1pc
75169-003775	VK/04579/PE/NW/W/61 ● **Natural wood.** 3000K. 50W. 6000lm. CRI>90 **ø61cm**	1pc
75169-006775	VK/04579/PE/DW/W/61 ● **Dark wood.** 3000K. 50W. 6000lm. CRI>90 **ø61cm**	1pc

Details

Material **Oakwood/Darkwalnutwood, metal, fabric cord, acrylic diffuser**
Type of Led **OSRAM**
Voltage **AC220-240V**
Location **Ceiling**

Beam angle **120°**
Working temperature **< 50°C**
Lifetime **25.000hrs**
Dimmable **Triac**
Guarantee **2 Years**

TRIAC **IP20**





Eleso



VK/04570/PE/W/W/40




VK/04570/PE/B/W/60

Dimmable

VK/04570/PE

Code	Model	Box
71164-060702	VK/04570/PE/W/W/40 ○ **White.** 3000K. 38W (31W Down+7W Up). 2.630lm. **ø40cm**	1pc
71164-061702	VK/04570/PE/B/W/40 ● **Black.** 3000K. 38W (31W Down+7W Up). 2.630lm. **ø40cm**	1pc
71164-062702	VK/04570/PE/W/W/60 ○ **White.** 3000K. 72W (61W Down+11W Up). 5.620lm. **ø60cm**	1pc
71164-063702	VK/04570/PE/B/W/60 ● **Black.** 3000K. 72W (61W Down+11W Up). 5.620lm. **ø60cm**	1pc
71164-064702	VK/04570/PE/W/W/80 ○ **White.** 3000K. 92W (78W Down+14W Up). 5.665lm. **ø80cm**	1pc
71164-065702	VK/04570/PE/B/W/80 ● **Black.** 3000K. 92W (78W Down+14W Up). 5.665lm. **ø80cm**	1pc



Details

Material **Aluminum+Metal+Acrylic**
Location **Ceiling**
Type of LED **SMD 2835**
CRI **Ra>80**

Hours **30.000**
Beam angle **120°**
Working temperature **-20°C ~ 60°C**
Updown

TRIAC

IP20



Alys




VK/04415PE/AN/W

Dimmable

VK/04415PE

Code	Model	Box
71164-014755	**VK/04415PE/W/W** ○ **White.** 3000K. 4.350lm. 42W. CRI>80.	**1pc**
71164-015755	**VK/04415PE/AN/W** ● **Anthracite.** 3000K. 2.940lm. 42W. CRI>80.	**1pc**



Details

Led Pendant Light **220V**.
Type of Led **Epistar**.
Driver **Eaglerise**.
Dimmable triac.

Lifetime **50.000hrs**.
Working temperature **-20°C → 60°C.**
Material **Aluminium+acrylic**.
Guarantee **3 years.**

IP20



Bryn





VK/04131PE/AN/W

VK/04131PE
VK/04132PE

Code	Model	Box
71164-005702	**VK/04131PE/W/W** ○ **White sanded.** 3000K. 1.870lm. 29W. CRI>80. **Ø45.5cm.**	**1pc**
71164-007702	**VK/04131PE/AN/W** ● **Anthracite.** 3000K. 1.870lm. 29W. CRI>80. **Ø45.5cm.**	**1pc**
71164-006702	**VK/04132PE/W/W** ○ **White sanded.** 3000K. 2.100lm. 40W. CRI>80. **Ø60cm.**	**1pc**
71164-008702	**VK/04132PE/AN/W** ● **Anthracite.** 3000K. 2.100lm. 40W. CRI>80. **Ø60cm.**	**1pc**








Details

AC **220-240V Driver (Included).**
Beam Angle **120°.**
Type of Led **SMD Epistar 2835.**
Dimmable **No.**

Working temperature **-20ºC ~ 60ºC.**
Lifetime **50.000hrs.**
Material **Aluminium, Acrylic.**
Guarantee **2 years.**



IP20




Sino





VK/04243PE/AN/W/80

VK/04243PE

Code	Model	Box
71164-017702	**VK/04243PE/W/W/60** ❍ **White sanded.** 3000K. 3.824lm. 51W. CRI>80. **Ø60cm.**	**1pc**
71164-018702	**VK/04243PE/AN/W/60** ● **Anthracite.** 3000K. 3.824lm. 51W. CRI>80. **Ø60cm.**	**1pc**
71164-019702	**VK/04243PE/W/W/80** ❍ **White sanded.** 3000K. 4.000lm. 80W. CRI>80. **Ø80cm.**	**1pc**
71164-020702	**VK/04243PE/AN/W/80** ● **Anthracite.** 3000K. 4.000lm. 80W. CRI>80. **Ø80cm.**	**1pc**







Details

AC **220-240V Driver (Included).**
Beam Angle **120°.**
Type of Led **SMD Epistar 2835.**
Dimmable **No.**

Working temperature **-20°C ~ 60°C.**
Lifetime **50.000hrs.**
Material **Aluminium, Acrylic.**
Guarantee **2 years.**



IP20




Cloud





VK/04242PE/W/W/45

VK/04242PE

Code	Model	Box
71164-011702	**VK/04242PE/W/W/45** ○ **White.** 3000K. 1.900lm. 38W. CRI>80. **Ø45cm.**	**1pc**
71164-012702	**VK/04242PE/W/W/60** ○ **White.** 3000K. 2.500lm. 50W. CRI>80. **Ø60cm.**	**1pc**







Details

AC **220-240V** Driver **(Included)**.
Beam Angle **120º.**
Type of Led **SMD Epistar 2835.**
Dimmable **No.**

Working temperature **-20ºC ~ 60ºC**.
Lifetime **50.000hrs**.
Material **PE**.
Guarantee **2 years.**



IP20


4
Dream
Land

Orra



VK/04568/PE/W/W/120




VK/04568/PE/B/W/150

Dimmable

VK/04568/PE

Code	Model	Box
71164-054702	VK/04568/PE/W/W/120 ○ **White.** 3000K. 79W. 5.254lm. **120cm**	1pc
71164-055702	VK/04568/PE/B/W/120 ● **Black.** 3000K. 79W. 5.254lm. **120cm**	1pc
71164-056702	VK/04568/PE/W/W/150 ○ **White.** 3000K. 101W. 7.101lm. **150cm**	1pc
71164-057702	VK/04568/PE/B/W/150 ● **Black.** 3000K. 101W. 7.101lm. **150cm**	1pc



Details

Material **Aluminum+Metal+Silicone**
Location **Ceiling**
Type of LED **SMD 2835**
CRI **Ra>80**

Hours **30.000**
Beam angle **120°**
Working temperature **-20ºC ~ 60ºC**
Updown

TRIAC

IP20




Egis





VK/04251PE/CG/W/40


VK/04251PE

Code	Model	Box
71164-021702	**VK/04251PE/W/W/40** ○ **White sanded.** 3000K. 1.856lm. 30W. **Ø40cm.**	**1pc**
71164-022702	**VK/04251PE/B/W/40** ● **Black sanded.** 3000K. 1.856lm. 30W. **Ø40cm.**	**1pc**
71164-023702	**VK/04251PE/CG/W/40** ● **Champaign Gold.** 3000K. 1.856lm. 30W. **Ø40cm.**	**1pc**
71164-024702	**VK/04251PE/W/W/60** ○ **White sanded.** 3000K. 2.808lm. 41W. **Ø60cm.**	**1pc**
71164-025702	**VK/04251PE/B/W/60** ● **Black sanded.** 3000K. 2.808lm. 41W. **Ø60cm.**	**1pc**
71164-026702	**VK/04251PE/CG/W/60** ● **Champaign Gold.** 3000K. 2.808lm. 41W. **Ø60cm.**	**1pc**
71164-027702	**VK/04251PE/W/W/80** ○ **White sanded.** 3000K. 4.424lm. 61W. **Ø80cm.**	**1pc**
71164-028702	**VK/04251PE/B/W/80** ● **Black sanded.** 3000K. 4.424lm. 61W. **Ø80cm.**	**1pc**
71164-029702	**VK/04251PE/CG/W/80** ● **Champaign Gold.** 3000K. 4.424lm. 61W. **Ø80cm.**	**1pc**










Details

AC **200-240V**.
Type of Led **SMD 2835.**
Working temperature **-20ºC** ~ **60ºC**.
Dimmable **No.** CRI**>80.**

Lifetime **50.000hrs**.
Material **Aluminium**.
Cable **1m + 12.5cm ceiling plate.**
Guarantee 2 years.



IP20


VERSUS


Epos



VK/04252PE/B/W/4060

VK/04252PE

Code	Model	Box
71164-030702	**VK/04252PE/W/W/4060** ○ **White sanded.** 3000K. 5.032lm. 74W. CRI>80	**1pc**
71164-031702	**VK/04252PE/B/W/4060** ● **Black sanded.** 3000K. 4.308lm. 68W. CRI>80	**1pc**
71164-032702	**VK/04252PE/CG/W/4060** ● **Champaign Gold.** 3000K. 4.588lm. 74W. CRI>80	**1pc**



Details

AC **200-240V**.
Type of Led **SMD 2835.**
Working temperature **-20°C** ~ **60°C**.
Dimmable **No.**

Lifetime **50.000hrs**.
Material **Aluminium+Acrylic**.
Guarantee 2 years.

IP20



Glia




VK/04404PE/B/W/53

Dimmable

VK/04404PE/.../53

Code	Model	Box
71164-001115	**VK/04404PE/B/W/53** ● **Black.** 3000K. 2.400lm. 24W. CRI>80.	**1pc**
71164-002115	**VK/04404PE/W/W/53** ○ **White.** 3000K. 2.400lm. 24W. CRI>80.	**1pc**



Details

Led Pendant Light **220-240V**.
Type of Led **OSRAM 2835 with driver**.
Dimmable Triac.

Lifetime **20.000hrs**.
Working temperature **-20°C → 40°C**.
Material **Aluminium**.

5 years guarantee

Dim Triac

IP20



Hebi




VK/04405PE/B/W/66

Dimmable

VK/04405PE/.../66

Code	Model	Box
71164-003115	**VK/04405PE/B/W/66** ● **Black.** 3000K. 3.000lm. 30W. CRI>80.	**1pc**
71164-004115	**VK/04405PE/W/W/66** ❍ **White.** 3000K. 3.000lm. 30W. CRI>80.	**1pc**



Details

Led Pendant Light **220-240V**.
Type of Led **OSRAM 2835 with driver**.
Dimmable Triac.

Lifetime **20.000hrs**.
Working temperature **-20°C → 40°C.**
Material **Aluminium**.

5 years guarantee

Dim Triac

IP20



Inon




VK/04406PE/B/W/92

Dimmable

VK/04406PE/.../92

Code	Model	Box
71164-005115	**VK/04406PE/B/W/92** ● **Black.** 3000K. 4.200lm. 42W. CRI>80.	**1pc**
71164-006115	**VK/04406PE/W/W/92** ❍ **White.** 3000K. 4.200lm. 42W. CRI>80.	**1pc**



Details

Led Pendant Light **220-240V**.
Type of Led **OSRAM 2835 with driver**.
Dimmable Triac.

Lifetime **20.000hrs**.
Working temperature **-20°C → 40°C.**
Material **Aluminium**.


5 years guarantee

Dim Triac

IP20



Noet



VK/04407PE/B/W/3C

Dimmable


VK/04407PE/.../3C

Code	Model	Box
71164-007115	**VK/04407PE/B/W/3C** ● **Black.** 3000K. 10.800lm. 108W. CRI>80.	**1pc**
71164-008115	**VK/04407PE/W/W/3C** ○ **White.** 3000K. 10.800lm. 108W. CRI>80.	**1pc**

Details

Led Pendant Light **220-240V**.
Type of Led **OSRAM 2835 with driver**.
Dimmable Triac.

Lifetime **20.000hrs**.
Working temperature **-20°C → 40°C.**
Material **Aluminium**.



5 years guarantee

Dim Triac

IP20



Olpe



VK/04434/PE/W/W


VK/04434/PE

Code	Model	Box
75169-127721	**VK/04434/PE/B/W** ● **Black sand.** 3000K. 2W. 125lm. CRI>90	**20pcs**
75169-128721	**VK/04434/PE/W/W** ○ **White sand.** 3000K. 2W. 125lm. CRI>90	**20pcs**

Details

Input current **700mA**.
Input Voltage **DC3V**.
Type of Led **OSRAM SMD with driver**.
Driver input **AC220-240V 50/60Hz**.
Angle **24º**.
No Dimmable.

Lifetime **20.000 hrs**.
Working temperature **-20ºC~45ºC**.
Material **Aluminium**.
Installation **Surface-Mounted**.
Cable **1.2m**.
Guarantee 3 years.



IP20



Phon



VK/04305PE/B/W/60



VK/04305PE/W/W/40

VK/04305PE


Code	Model	Box
64174-116721	**VK/04305PE/B/W/60** ● **Black sand.** 3000K. 583lm. 4W. bridgelux. 20°. **L60cm**	**20pcs**
64174-115721	**VK/04305PE/W/W/40** ❍ **White sand.** 3000K. 583lm. 4W. bridgelux. 20°. **L40cm**	**20pcs**

Details

AC Driver **220-240V (Included).**
Type of Led bridgelux **5050.**
Dimmable **No.**
Lifetime **50.000hrs.**
Clicks **50.000hrs.**

Working temperature **-20°C → 45°C**.
Material **Aluminium.**
Guarantee **3 years**.
CRI**>90.**

IP20





Baro



VK/04620/PE/T

VK/04620/PE

Code	Model	Box
64174-045776	**VK/04620/PE/W/W** ○ **White.** 3000K. 620lm. 5W. 24° CRI>90	**1pc**
64174-046776	**VK/04620/PE/B/W** ● **Black.** 3000K. 620lm. 5W. 24° CRI>90	**1pc**
64174-047776	**VK/04620/PE/GD/W** ● **Gold.** 3000K. 620lm. 5W. 24° CRI>90	**1pc**
64174-048776	**VK/04620/PE/T/W** ● **Titanium.** 3000K. 620lm. 5W. 24° CRI>90	**1pc**

Details

Voltage **220-240V**.
Material **Aluminium**.
Beam Angle **24°**.
Type of Led **5050**.
Lifetime **50.000 hrs**.

Working temperature **< 45°C**.
Dimmable **No**.
Included **1m cable**.

5 years guarantee


IP20


White


Black



Gold


Titanium





Rupi



VK/04454/PE/B/W


VK/04454/PE

Code	Model	Box
75169-098721	**VK/04454/PE/B/W** ● **Black sand.** 3000K. 11W. 1243lm. CRI>90	**20pcs**
75169-099721	**VK/04454/PE/W/W** ○ **White sand.** 3000K. 11W. 1243lm. CRI>90	**20pcs**

Details

Input current <**500mA**.
Input Voltage **DC24V**.
Type of Led bridgelux. **SMD with driver**.
Driver input **AC220-240V 50/60Hz** output **DC 16-25V 500mA**.
Angle **120º**.
No Dimmable.

Lifetime **20.000 hrs**.
Working temperature **-20ºC~45ºC**.
Material **Aluminium**.
Cable **1.2m**.
Installation **Surface-Mounted**.
Guarantee 3 years.



IP20



Pia




VK/04413PE/G


Dimmable

VK/04413PE

Code	Model	Box
71164-001755	**VK/04413PE/B/W/25** ● **Matt Black.** 3000K. 900lm. 8W. Canopy dø10cm. Dø25cm.	**1pc**
71164-002755	**VK/04413PE/GD/W/25** ● **Gold.** 3000K. 900lm. 8W. Canopy dø10cm. Dø25cm.	**1pc**
71164-003755	**VK/04413PE/OR/W/25** ● **Orange.** 3000K. 900lm. 8W. Canopy dø10cm. Dø25cm.	**1pc**
71164-004755	**VK/04413PE/G/W/25** ● **Grey.** 3000K. 900lm. 8W. Canopy dø10cm. Dø25cm.	**1pc**




Code	Model	Box
71164-005755	**VK/04413PE/B/W/35** ● **Matt Black.** 3000K. 1.350lm. 12W. Canopy dø15cm. Dø35cm.	**1pc**
71164-006755	**VK/04413PE/GD/W/35** ● **Gold.** 3000K. 1.350lm. 12W. Canopy dø15cm. Dø35cm.	**1pc**
71164-007755	**VK/04413PE/OR/W/35** ● **Orange.** 3000K. 1.350lm. 12W. Canopy dø15cm. Dø35cm.	**1pc**
71164-008755	**VK/04413PE/G/W/35** ● **Grey.** 3000K. 1.350lm. 12W. Canopy dø15cm. Dø35cm.	**1pc**





Code	Model	Box
71164-009755	**VK/04413PE/B/W/45** ● **Matt Black.** 3000K. 1.760lm. 16W. Canopy dø18cm. Dø45cm.	**1pc**
71164-010755	**VK/04413PE/GD/W/45** ● **Gold.** 3000K. 1.760lm. 16W. Canopy dø18cm. Dø45cm.	**1pc**
71164-011755	**VK/04413PE/OR/W/45** ● **Orange.** 3000K. 1.760lm. 16W. Canopy dø18cm. Dø45cm.	**1pc**
71164-012755	**VK/04413PE/G/W/45** ● Grey. 3000K. 1.760lm. 16W. Canopy dø18cm. Dø45cm.	**1pc**



Details

AC **220V**.
Type of Led **Epistar**.
Driver **Eaglerise**.
Dimmable **triac**.
Lifetime **50.000hrs**.

Working temperature **-20°C → 60°C**.
Material **Steel+rasin+acrylic**.
Cable **180cm**.
CRI**>80.**
Guarantee **3 years**.

IP20


Aiko



VK/04016/B

VK/04016

Code	Model	Box
64173-039118	**VK/04016/W/W** ○ **White.** 3000K. 1.350lm. 120°. 18W. CRI>80	**10pcs**
64173-040118	**VK/04016/W/C** ○ **White.** 4000K. 1.400lm. 120°. 18W. CRI>80	**10pcs**
64173-037118	**VK/04016/OR/W** ● **Orange.** 3000K. 1.350lm. 120°. 18W CRI>80	**10pcs**
64173-038118	**VK/04016/OR/C** ● **Orange.** 4000K. 1.400lm. 120°. 18W. CRI>80	**10pcs**
64173-041118	**VK/04016/B/W** ● **Black.** 3000K. 1.350lm. 120°. 18W. CRI>80	**10pcs**
64173-042118	**VK/04016/B/C** ● **Black.** 4000K. 1.400lm. 120°. 18W CRI>80	**10pcs**





Details


AC Driver **110-240V (Included).**
Type of Led **COB Edison.**
Dimmable **No.**
Lifetime **50.000hrs.**

Cable **1m + 12.5cm ceiling plate.**
Working temperature **-20°C → 45°C.**
Material **Aluminium.**
Guarantee **2 years.**

IP20







Polla




VK/04390/PE/B




VK/04389/PE/B

VK/04390/PE/.../W
VK/04389/PE/.../W

Code	Model	Box
75169-015741	**VK/04390/PE/BS/W** ● **Brass**. 2700K. 700lm. 10W. CRI>80. **ø60cm**	**1pc**
75169-016741	**VK/04390/PE/B/W** ● **Black**. 2700K. 700lm. 10W. CRI>80. **ø60cm**	**1pc**
75169-013741	**VK/04389/PE/BS/W** ● **Brass**. 2700K. 700lm. 10W. CRI>80. **ø50cm**	**1pc**
75169-014741	**VK/04389/PE/B/W** ● **Black**. 2700K. 700lm. 10W. CRI>80. **ø50cm**	**1pc**






Details

Led Pendant Light **220-240V**.
Type of Led **SMD with driver**.
Dimmable **No**.
Lifetime **10.000hrs**.

Working temperature **-20°C → 45°C**.
Material **Metal wires, black painting metal canopy, black textile cable**.
Guarantee **3 years**.



IP20




Polla



VK/04388/PE/BS

VK/04388/PE/.../W

Code	Model	Box
75169-011741	**VK/04388/PE/BS/W** ● **Brass.** 2700K. 350lm. 5W. **CRI>80.**	**1pc**
75169-012741	**VK/04388/PE/B/W** ● **Black**. 2700K. 350lm. 5W. **CRI>80.**	**1pc**



Details

Led Pendant Light **220-240V.**
Type of Led **SMD with driver.**
Dimmable **No.**
Lifetime **10.000hrs.**

Working temperature **-20°C → 45°C**.
Material **Metal wires, black painting metal canopy, black textile cable.**
Guarantee **3 years**.

IP20



Polla



VK/04254PE/GD (like a cloud)



VK/04254PE/GD (like a flower)

VK/04254PE

Code	Model	Box
75169-001741	**VK/04254PE/B/WW** ● **Black**. 2700K. 190lm. 8W.	**1pc**
75169-002741	**VK/04254PE/GD/WW** ● **Gold**. 2700K. 190lm. 8W.	**1pc**

Details

AC **220-240V**.
Dimmable **Yes**.
Cable **Black textile**.

Material **Metal**.
Guarantee **2 years**.


IP20




Side light + Down light

The wire can be assemblied into 2 configurations, like the cloud or like the flower. Different configuration with different diameter.

like a cloud




like a flower





Polla



VK/04255WA/B (like a cloud)



VK/04255WA/B (like a flower)

VK/04255WA

Code	Model	Box
75169-003741	**VK/04255WA/B/WW** ● **Black**. 2700K. 8W.	**1pc**
75169-004741	**VK/04255WA/GD/WW** ● **Gold**. 2700K. 8W.	**1pc**

Details

AC **220-240V**.
Dimmable **Yes.**
Cable **Black textile**

with dimmer switch.
Material **Metal**.
Guarantee **2 years**.


IP20




Side light + Front light

The wire can be assemblied into 2 configurations, like the cloud or like the flower. Different configuration with different diameter.

like a cloud




like a flower





Sada



VK/04400/B/W

Dimmable

VK/04400

Code	Model	Box
71164-017724	**VK/04400/B/W** ● **Matt Black.** 3000K. 2.070lm. 19W. CRI>80	**1pc**


Details

Led Pendant Light **220-240V.**
Type of Led **OSRAM 2835 with driver.**
Dimmable Euchip Triac.
Lifetime **20.000hrs.**

Working temperature **-20°C → 40°C.**
Material **Iron+aluminium+acrylic.**
Cable **1.4m.**


5 years guarantee

IP20





Sada



VK/04401/GD/W

Dimmable

VK/04401

Code	Model	Box
71164-018724	**VK/04401/GD/W** ● **Matt Gold.** 3000K. 2.898lm. 28W. CRI>80	**1pc**


Details

Led Pendant Light **220-240V.**
Type of Led **OSRAM 2835 with driver.**
Dimmable Euchip Triac.
Lifetime **20.000hrs.**

Working temperature **-20°C → 40°C.**
Material **Iron+aluminium+acrylic.**
Cable **1.4m.**


5 years guarantee

IP20





Nori



VK/04414PE/B/W

VK/04414PE


Code	Model	Box
71164-013755	**VK/04414PE/B/W** ● **Matt Black.** 3000K. 7.000lm. 100W. CRI>80.	**1pc**

Details

Led Pendant Light **220V.**
Type of Led **Epistar.**
Driver **Mean well.**
Dimmable **No.**

Lifetime **50.000hrs.**
Working temperature **-20°C → 60°C.**
Material **Aluminium+acrylic.**
Guarantee **3 years**.

IP20










Kimi



VK/04392/PE/GD

VK/04392/PE

Code	Model	Box
75169-019741	**VK/04392/PE/B** ● **Black shade + canopy.** E27. Max 20W (LED).	**1pc**
75169-020741	**VK/04392/PE/BL** ● **Blue shade + canopy.** E27. Max 20W (LED).	**1pc**
75169-021741	**VK/04392/PE/G** ● **Grey shade + canopy**. E27. Max 20W (LED).	**1pc**
75169-022741	**VK/04392/PE/GD** ● **Gold shade + canopy.** E27. Max 20W (LED).	**1pc**



Details

Input voltage **AC220-240V**
Lampholder **E27**
Working temperature **-20°C → 45°C.**

Material **Metal shade, black textile cable, metal canopy.**

IP20




Kimi



VK/04393/PE/G

VK/04393/PE

Code	Model	Box
75169-023741	**VK/04393/PE/B** ● **Black shade + canopy.** E27. Max 20W (LED)	**1pc**
75169-024741	**VK/04393/PE/BL** ● **Blue shade + canopy.** E27. Max 20W (LED)	**1pc**
75169-025741	**VK/04393/PE/G** ● **Grey shade + canopy.** E27. Max 20W (LED)	**1pc**
75169-026741	**VK/04393/PE/GD** ● **Gold shade + canopy.** E27. Max 20W (LED)	**1pc**



Details

Input voltage **AC220-240V**
Lampholder **E27**
Working temperature **-20°C → 45°C.**

Material **Metal shade, black textile cable, metal canopy.**

IP20



Nami



VK/04391/PE/GD

VK/04391/PE


Code	Model	Box
75169-018741	**VK/04391/PE/GD** ● **Gold shade + canopy.** GU10. Max 12W (LED).	**1pc**
75169-017741	**VK/04391/PE/B** ● **Black shade + canopy.** GU10. Max 12W (LED).	**1pc**

Details

Input voltage **AC220-240V**
Lampholder **GU10**
Working temperature **-20°C → 45°C.**
Material **Metal shade**, **black textile cable, metal canopy**.
Included Led lamp **5W, 3000K, 435lm.**
Guarantee **3 years**.


IP20







Nobu



VK/03153/PE/50/B-GD


VK/03153/PE

Code	Model	Box
71164-005724	**VK/03153/PE/50/B-GD** ● **Black-Gold.** E27. Max 20W (LED).	**1pc**
71164-006724	**VK/03153/PE/50/W-GD** ○ **White-Gold.** E27. Max 20W (LED).	**1pc**

Details

Input voltage **AC220-240V**
Lampholder **E27**
Working temperature **-20°C ~ 40°C**.

Cable **2m black or white cable + black or white ceiling plate**.
Material **Metal**.



IP20



Kasa



VK/04256PE/GR



VK/04257PE/W

VK/04256PE
VK/04257PE


Code	Model	Box
75169-005741	**VK/04256PE/GR** ● **Green+white.** GU10. Max 12W (LED). **Ø65cm.**	**1pc**
75169-006741	**VK/04257PE/W** ❍ **White.** GU10. Max 12W (LED). **Ø45cm.**	**1pc**



Details

Input voltage **AC220-240V**
Lampholder **GU10**

Material **Metal.**



IP20



Aimi




VK/03166/BR



VK/03167/BR

VK/03166/BR
VK/03167/BR

Code	Model	Box
75169-018733	**VK/03166/BR** ● **Rust brown.** E27. Max 20W (LED). Rust brown plate.	**1pc**
75169-020733	**VK/03167/BR** ● **Rust brown.** E27. Max 20W (LED). Rust brown plate.	**1pc**




Details

Input voltage **AC220-240V**
Lampholder **E27**
Working temperature **-20°C ~ 40°C.**

Cable **1 m black cable + rust brown ceiling plate.**
Material **Metal.**

IP20



Aimi




VK/03166/G



VK/03167/G

VK/03166/G
VK/03167/G

Code	Model	Box
75169-019733	**VK/03166/G** ● **Dark grey.** E27. Max 20W (LED). Dark grey plate.	**1pc**
75169-021733	**VK/03167/G** ● **Dark grey.** E27. Max 20W (LED). Dark grey plate.	**1pc**



Details

Input voltage **AC220-240V**
Lampholder **E27**
Working temperature **-20°C ~ 40°C.**

Cable **1 m black cable + dark grey ceiling plate.**
Material **Metal.**

IP20




Planto







VK/03320/PE/GD/60



VK/03320/PE

Code	Model	Box
75169-049741	VK/03320/PE/GD/60 ● **Gold.** E27. Max 20W (LED). **ø60cm**	1pc
75169-050741	VK/03320/PE/NT/60 ● **Natural.** E27. Max 20W (LED) **ø60cm**	1pc
75169-051741	VK/03320/PE/B/60 ● **Black.** E27. Max 20W (LED). **ø60cm**	1pc
75169-046741	VK/03320/PE/GD/45 ● **Gold.** E27. Max 20W (LED). **ø45cm**	1pc
75169-047741	VK/03320/PE/NT/45 ● **Natural.** E27. Max 20W (LED). **ø45cm**	1pc
75169-048741	VK/03320/PE/B/45 ● **Black.** E27. Max 20W (LED). **ø45cm**	1pc
75169-043741	VK/03320/PE/GD/35 ● **Gold.** E27. Max 20W (LED). **ø35cm**	1pc
75169-044741	VK/03320/PE/NT/35 ● **Natural.** E27. Max 20W (LED). **ø35cm**	1pc
75169-045741	VK/03320/PE/B/35 ● **Black.** E27. Max 20W (LED). **ø35cm**	1pc





Details

Input voltage **AC220-240V**
Lampholder **E27**
Material **Metal canopy, Rattan shade,**

textile cable
Location **Ceiling**
Cable length **1300mm**

IP20



Prei



VK/03314/PE/G






VK/03314/PE

Code	Model	Box
75169-029741	VK/03314/PE/G ● **Grey.** GU10. Max. 12W. (LED)	8pcs

Details

Input voltage **AC220-240V**
Lampholder **GU10 (included)**
Included lamp **GU10, 5W, 3000K**

Material **Metal canopy, Concrete shade**
Location **Ceiling**
Cable length **1330mm**



IP20



Remy




VK/09066




VK/09063

VK/09066
VK/09063

Code	Model	Box
64174-295131	**VK/09066** ○ **White.** E27. Max 20W (LED).	**4pcs**
64174-292131	**VK/09063** ● **Grey.** E27. Max 20W (LED).	**4pcs**





Details

Input voltage **AC220-240V**
Lampholder **E27**
Working temperature **-20°C ~ 40°C.**
Cable **1.20 m + ceiling plate.**

Material **Gypsum (VK/09066), Concrete (VK/09063).**
Possibility to paint.

IP20

Abel




VK/09067/W



VK/09067/AN

VK/09067

Code	Model	Box
64174-296131	**VK/09067/W** ○ **White.** E27. Max 20W (LED).	**4pcs**
64174-297131	**VK/09067/AN** ● **Anthracite.** E27. Max 20W (LED).	**4pcs**



Details

Input voltage **AC220-240V**
Lampholder **E27**
Working temperature **-20°C ~ 40°C.**

Cable **1.20 m + ceiling plate.**
Material **Concrete.**
Possibility to paint.

IP20

Noem



VK/03088/20/BR



VK/03088/24/BR


VK/03088/20/BR
VK/03088/24/BR

Code	Model	Box
64174-020108	**VK/03088/20/BR** ● **Brown.** E27. Max 20W (LED).	**1pc**
64174-021108	**VK/03088/24/BR** ● **Brown.** E27. Max 20W (LED).	**1pc**

Details

Input voltage **AC220-240V**
Lampholder **E27**
Working temperature **-20°C ~ 40°C**.

Cable **1 m fabric cable + ceiling plate**.
Material **Paper.**



IP20

Noem



VK/03092/50/BR



VK/03080/30/BR


VK/03092/50/BR
VK/03080/30/BR

Code	Model	Box
64174-022108	**VK/03092/50/BR** ● **Brown.** E27. Max 20W (LED).	**1pc**
64174-023108	**VK/03080/30/BR** ● **Brown.** E27. Max 20W (LED).	**1pc**

Details

Input voltage **AC220-240V**
Lampholder **E27**
Working temperature **-20°C ~ 40°C**.

Cable **1 m fabric cable + ceiling plate**.
Material **Paper.**



IP20

Noem




VK/03079/35/BR



VK/03079/55/BR

VK/03079/35/BR
VK/03079/55/BR

Code	Model	Box
64174-018108	**VK/03079/35/BR** ● **Brown.** E27. Max 20W (LED).	**1pc**
64174-019108	**VK/03079/55/BR** ● **Brown.** E27. Max 20W (LED).	**1pc**



Details

Input voltage **AC220-240V**
Lampholder **E27**
Working temperature **-20°C ~ 40°C**.

Cable **1 m fabric cable + ceiling plate**.
Material **Paper.**

IP20



Woody



VK/03329/PE/NW/33




VK/03329/PE/DW/45



VK/03329/PE/NW/61

VK/03329/PE

Code	Model	Box
64174-009775	VK/03329/PE/NW/33 ● **Oak wood.** E27. Max. 20W. (LED). **ø33cm**	1pc
64174-012775	VK/03329/PE/DW/33 ● **Walnut wood.** E27. Max. 20W. (LED). **ø33cm**	1pc
64174-010775	VK/03329/PE/NW/45 ● **Oak wood.** E27. Max. 20W. (LED). **ø45cm**	1pc
64174-013775	VK/03329/PE/DW/45 ● **Walnut wood.** E27. Max. 20W. (LED). **ø45cm**	1pc
64174-011775	VK/03329/PE/NW/61 ● **Oak wood.** E27. Max. 20W. (LED). **ø61cm**	1pc
64174-014775	VK/03329/PE/DW/61 ● **Walnut wood.** E27. Max. 20W. (LED). **ø61cm**	1pc



Details

Material **Oakwood/Walnut wood, fabric cable, wood canopy**
Location **Ceiling**

Input voltage **AC220-240V**
Lampholder **E27**
Cable length **2000mm**

Oak wood

Walnut wood

IP20




Cool
Inspiration
Zen






Apro



VK/03330/PE/NW



VK/03330/PE

Code	Model	Box
64174-015775	VK/03330/PE/NW ● **Natural wood.** GU10. Max. 12W. (LED)	1pc

Details

Material **Oak wood & fabric cord**
Location **Ceiling**
Input voltage **AC220-240V**

Lampholder **GU10**
Cable length **2000mm**
Guarantee **2 years**

Natural wood

IP20



Ada



VK/03325/PE/B


VK/03325/PE

Code	Model	Box
64174-003775	VK/03325/PE/NW ● **Natural wood.** GU10. Max. 12W. (LED)	1pc
64174-004775	VK/03325/PE/B ● **Black.** GU10. Max. 12W. (LED)	1pc

Details


Material **Ashwood & fabric cord**
Location **Ceiling**
Input voltage **AC220-240V**

Lampholder **GU10**
Cable length **2000mm**
Guarantee **2 years**




Natural wood


Black


IP20





Ada



VK/03324/PE/NW


VK/03324/PE

Code	Model	Box
64174-001775	VK/03324/PE/NW ● **Natural wood.** GU10. Max. 12W. (LED)	1pc
64174-002775	VK/03324/PE/B ● **Black.** GU10. Max. 12W. (LED)	1pc

Details


Material **Ashwood & fabric cord**
Location **Ceiling**
Input voltage **AC220-240V**

Lampholder **GU10**
Cable length **2000mm**
Guarantee **2 years**




Natural wood


Black



IP20









Alena



VK/03326/PE/NW/30



VK/03326/PE/NW/20

VK/03326/PE


Code	Model	Box
64174-006775	VK/03326/PE/NW/30 ○● **White/Wood.** E27. Max. 20W. (LED)	1pc
64174-005775	VK/03326/PE/NW/20 ○● **White/Wood.** E27. Max. 20W. (LED)	1pc


Details

Material **Glass shade, Ashwood, fabric cord, wood canopy**
Location **Ceiling**
Input voltage **AC220-240V**

Lampholder **E27**
Cable length **2000mm**
Guarantee **2 years**

IP20







Alena



VK/03327/PE/NW



VK/03328/PE/NW

VK/03327/PE/NW
VK/03328/PE/NW


Code	Model	Box
64174-007775	VK/03327/PE/NW ○● **White/Wood.** E27. Max. 20W. (LED)	1pc
64174-008775	VK/03328/PE/NW ○● **White/Wood.** E27. Max. 20W. (LED)	1pc


Details

Material **Glass shade, Ashwood, fabric cord, wood canopy**
Location **Ceiling**
Input voltage **AC220-240V**

Lampholder **E27**
Cable length **2000mm**
Guarantee **2 years**

IP20







Icla




VK/03068/PE/BR



VK/03069/PE/BR

VK/03068/PE/BR
VK/03069/PE/BR

Code	Model	Box
64174-886697	**VK/03068/PE/BR** ● **Brown+Grey glass.** E27. Max 20W (LED).	**6pcs**
64174-887697	**VK/03069/PE/BR** ● **Brown+Grey glass.** G9. Max 8W (LED).	**18pcs**



Details

Voltage **240V.**
E27. (VK/03068/PE/BR),
G9. (VK/03069/PE/BR)

Working temperature **-20°C ~ 40°C.**
Cable **1 m + ceiling plate.**
Material **Metal, Glass.**

IP20



Luc



VK/03117/PE

VK/03117/PE


Code	Model	Box
64174-013126	**VK/03117/PE/15/GL** ○ **Milky glass.** E27. Max 20W (LED). **ø15cm**	**1pc**
64174-014126	**VK/03117/PE/30/GL** ○ **Milky glass.** E27. Max 20W (LED). **ø30cm**	**1pc**
64174-015126	**VK/03117/PE/40/GL** ○ **Milky glass.** E27. Max 20W (LED). **ø40cm**	**1pc**

Details

Voltage **240V**.
E27.
Working temperature **-20ºC ~ 40ºC**.

Cable **1.80 m + ceiling plate.**
Material **Glass milky**.
Guarantee **2 years**

IP20






Liam



VK/04387/CE/B



VK/04387/CE/B

Code	Model	Box
75169-010741	**VK/04387/CE/B** ● **Black**. E27. Max 20W (LED)	**1pc**

Details

Ceiling Light **220-240V**.
Working temperature **-20°C → 45°C**.

Material **Matt Black painting metal lamp body, black fabric KD shade**.

IP20



Enna




VK/03099PE/W



VK/03100PE/W

VK/03099PE/W
VK/03100PE/W

Code	Model	Box
71164-005108	**VK/03099PE/W** ❍ **White.** E27x3. Max 3x20W (LED).	**1pc**
71164-006108	**VK/03100PE/W** ❍ **White.** E27. Max 20W (LED).	**1pc**



Details

Voltage **240V**.
E27x3 (VK/03099PE/W).
E27 (VK/03100PE/W).

Working temperature **-20°C ~ 40°C**.
Cable **1 m + ceiling plate**.
Material **Fabric, metal, PMMA.**

IP20



Ballo



VK/03319/PE/40



VK/03319/PE/30



VK/03319/PE


Code	Model	Box
75169-042741	VK/03319/PE/40 ● **Natural.** E27. Max 20W (LED). **ø40cm**	1pc
75169-041741	VK/03319/PE/30 ● **Natural.** E27. Max 20W (LED). **ø30cm**	1pc

Details

Material **Metal canopy, Nature rattan shade, textile cable**
Location **Ceiling**
Input voltage **AC220-240V**

Lampholder **E27**
Cable length **1390mm**
Guarantee **2 years**

IP20





Ballo



VK/03317/PE/BMB/50



VK/03317/PE/BMB/35



VK/03317/PE


Code	Model	Box
75169-040741	VK/03317/PE/BMB/50 ● **Bamboo.** E27. Max 20W (LED). **ø50cm**	1pc
75169-038741	VK/03317/PE/BMB/35 ● **Bamboo.** E27. Max 20W (LED). **ø35cm**	1pc

Details

Material **Metal canopy, Nature Bamboo shade, textile cable**
Location **Ceiling**
Input voltage **AC220-240V**

Lampholder **E27**
Cable length **1370mm**
Guarantee **2 years**

IP20





Rago



VK/03321/PE/B/36

VK/03321/PE


Code	Model	Box
75169-052741	VK/03321/PE/Y/36 ● **Natural.** E27. Max 20W (LED).	1pc
75169-053741	VK/03321/PE/B/36 ● **Black.** E27. Max 20W (LED).	1pc

Details

Material **Metal canopy, Rattan shade, textile cable**
Location **Ceiling**
Input voltage **AC220-240V**

Lampholder **E27**
Cable length **1300mm**
Guarantee **2 years**

IP20





Rago



VK/03322/PE/Y/50



VK/03322/PE/B/35

VK/03322/PE


Code	Model	Box
75169-056741	VK/03322/PE/Y/50 ● **Natural.** E27. Max 20W (LED). **ø50cm**	1pc
75169-057741	VK/03322/PE/B/50 ● **Black.** E27. Max 20W (LED). **ø50cm**	1pc
75169-054741	VK/03322/PE/Y/35 ● **Natural.** E27. Max 20W (LED). **ø35cm**	1pc
75169-055741	VK/03322/PE/B/35 ● **Black.** E27. Max 20W (LED). **ø35cm**	1pc

Details

Material **Metal canopy, Rattan shade, textile cable**
Location **Ceiling**
Input voltage **AC220-240V**

Lampholder **E27**
Cable length **1300mm**
Guarantee **2 years**

IP20





Ballo



VK/03318/PE/BMB/50

VK/03318/PE


Code	Model	Box
75169-039741	VK/03318/PE/BMB/50 ● **Bamboo.** E27. Max 20W (LED).	1pc

Details

Material **Metal canopy, Nature Bamboo shade, textile cable**
Location **Ceiling**
Input voltage **AC220-240V**

Lampholder **E27**
Cable length **1365mm**
Guarantee **2 years**

IP20





Rago



VK/03323/PE/B/50



VK/03323/PE


Code	Model	Box
75169-058741	VK/03323/PE/Y/50 ● **Natural.** E27. Max 20W (LED).	1pc
75169-059741	VK/03323/PE/B/50 ● **Black.** E27. Max 20W (LED).	1pc

Details

Material **Metal canopy, Rattan shade, textile cable**
Location **Ceiling**
Input voltage **AC220-240V**

Lampholder **E27**
Cable length **1300mm**
Guarantee **2 years**

IP20





Jan



VK/03125PE/30



VK/03125PE/35


VK/03125PE/30
VK/03125PE/35


Code	Model	Box
75169-234115	**VK/03125PE/30** ❍ **White + wood.** E27. Max 20W (LED).	**1pc**
75169-235115	**VK/03125PE/35** ❍ **White + wood.** E27. Max 20W (LED).	**1pc**

Details

Voltage **240V**.
E27.
Working temperature **-20ºC ~ 40ºC**.
Cable **2 m white fabric cable + white ceiling plate.**
Material **Bamboo**.
IP Rating **IP20.**
Guarantee **2 years**

IP20





Jan



VK/03126PE/30



VK/03126PE/45


VK/03126PE/30
VK/03126PE/45


Code	Model	Box
75169-236115	**VK/03126PE/30** ● **Wood.** E27. Max 20W (LED).	**1pc**
75169-237115	**VK/03126PE/45** ● **Black.** E27. Max 20W (LED).	**1pc**

Details

Voltage **240V**.
E27.
Working temperature **-20ºC ~ 40ºC**.
Cable **2 m white fabric cable + white**
ceiling plate.
Material **Bamboo**.
IP Rating **IP20.**
Guarantee **2 years**

IP20





Eliz



VK/03123PE/35



VK/03123PE/55


VK/03123PE/35
VK/03123PE/55

Code	Model	Box
75169-231115	**VK/03123PE/35/BMB** ● **Bamboo.** E27. Max 20W (LED).	**1pc**
75169-232115	**VK/03123PE/55/BMB** ● **Bamboo.** E27. Max 20W (LED).	**1pc**

Details

Voltage **240V**.
E27.
Working temperature **-20ºC ~ 40ºC**.
Cable **2 m white fabric cable + white ceiling plate.**
Material **Bamboo**.
IP Rating **IP20.**
Guarantee **2 years**

IP20



Mart



VK/03124PE/70


VK/03124PE/70

Code	Model	Box
75169-233115	**VK/03124PE/70/BMB** ● **Bamboo.** E27. Max 20W (LED).	**1pc**

Details

Voltage **240V**.
E27.
Working temperature **-20ºC ~ 40ºC**.
Cable **2 m white fabric cable + white ceiling plate.**
Material **Bamboo**.
IP Rating **IP20.**
Guarantee **2 years**

IP20



Fay



VK/03146PE/35



VK/03146PE/60


VK/03146PE/35
VK/03146PE/60

Code	Model	Box
75169-477724	**VK/03146PE/35** ● **Brown light.** E27. Max 20W (LED).	**1pc**
75169-478724	**VK/03146PE/60** ● **Brown light.** E27. Max 20W (LED).	**1pc**

Details

Voltage **240V**.
E27.
Working temperature **-20ºC ~ 40ºC**.
Cable **2 m white cable +**
white ceiling plate.
Material **Rattan, metal**.
IP Rating **IP20.**
Guarantee **2 years**

IP20



Fay



VK/03146PE/80


VK/03146PE/80

Code	Model	Box
75169-479724	**VK/03146PE/80** ● **Brown light.** E27. Max 20W (LED).	**1pc**

Details

Voltage **240V**.
E27.
Working temperature **-20ºC ~ 40ºC**.
Cable **2 m white cable + white ceiling plate.**
Material **Rattan, metal**.
IP Rating **IP20.**
Guarantee **2 years**

IP20



Lis



VK/03148PE/73


VK/03148PE/73

Code	Model	Box
75169-481724	**VK/03148PE/73** ● **Black.** E27. Max 20W (LED)	**1pc**

Details

Voltage **240V**.
E27.
Working temperature **-20ºC ~ 40ºC**.
Cable **2 m black fabric cable + black**
ceiling plate.
Material **PC Rattan, metal**.
IP Rating **IP20.**
Guarantee **2 years**

IP20





Lis



VK/03147PE/78


VK/03147PE/78


Code	Model	Box
75169-480724	**VK/03147PE/78** ● **Black.** E27. Max 20W (LED)	**1pc**

Details

Voltage **240V**.
E27.
Working temperature **-20ºC ~ 40ºC**.
Cable **2m black fabric cable + black ceiling plate.**
Material **PC Rattan, metal**.
IP Rating **IP20.**
Guarantee **2 years**

IP20





Rob



VK/03173/PE/B

VK/03173/PE/B


Code	Model	Box
75169-485730	VK/03173/PE/B ● **Black**. E27. Max 20W (LED)	1pc

Details

Voltage **240V**.
E27.
Working temperature **-20ºC ~ 40ºC**.
Cable **1.24m black cable**

+ black ceiling plate.
Material **Metal**.
IP Rating **IP20.**
Guarantee **2 years**

IP20





Alain



VK/03177/PE/B



VK/03175/PE/B

VK/03177/PE/B
VK/03175/PE/B


Code	Model	Box
75169-489730	**VK/03177/PE/B** ● **Black.** E27. Max 20W (LED).	**1pc**
75169-487730	**VK/03175/PE/B** ● **Black.** E27. Max 20W (LED).	**1pc**


Details

Voltage **240V**.
E27.
Working temperature **-20ºC ~ 40ºC**.
Cable **1.2m cable + black ceiling plate.**

Material **Metal**.
IP Rating **IP20.**
Guarantee **2 years**

IP20









Alain



VK/03172/PE



VK/03176/PE

VK/03172/PE
VK/03176/PE


Code	Model	Box
75169-490730	**VK/03172/PE/B** ● **Black.** E27. Max 20W (LED).	**1pc**
75169-488730	**VK/03176/PE/B** ● **Black.** E27. Max 20W (LED).	**1pc**

Details

Voltage **240V**.
E27.
Working temperature **-20ºC ~ 40ºC**.
Cable **1.2m cable + black ceiling plate.**

Material **Metal**.
IP Rating **IP20.**
Guarantee **2 years**

IP20





Nina



VK/03171/PE/ABS/26



VK/03171/PE/ABS/34

VK/03171/PE


Code	Model	Box
75169-483730	**VK/03171/PE/ABS/26** ● **Bronze.** E27. Max 20W (LED).	**1pc**
75169-484730	**VK/03171/PE/ABS/34** ● **Bronze.** E27. Max 20W (LED).	**1pc**

Details

Voltage **240V**.
E27.
Working temperature **-20ºC ~ 40ºC**.
Cable **1.7m cable + black ceiling plate.**

Material **Metal**.
IP Rating **IP20.**
Guarantee **2 years**

IP20





Ines



VK/03170/PE

VK/03170/PE


Code	Model	Box
75169-482730	**VK/03170/PE/ABS** ● **Bronze.** E27x3. Max 3x20W (LED)	**1pc**

Details

Voltage **240V**.
E27.
Working temperature **-20ºC ~ 40ºC**.
Cable **1.6m black cable+chain**

+ ceiling plate.
Material **Metal**.
IP Rating **IP20.**
Guarantee **2 years**

IP20





Abel



VK/03182PE

VK/03182PE


Code	Model	Box
75169-484724	**VK/03182PE/B**	**1pc**
	● **Black.** E27. Max 20W (LED)	


Details

Voltage **240V**.
E27.
Working temperature **-20ºC ~ 40ºC**.
Cable **2m black cable + black ceiling plate.**

Material **Iron**.
IP Rating **IP20.**
Guarantee **2 years**

IP20





Abel



VK/03181PE


VK/03181PE

Code	Model	Box
75169-483724	**VK/03181PE/B**	**1pc**
	● **Black.** E27. Max 20W (LED)	


Details

Voltage **240V**.
E27.
Working temperature **-20°C ~ 40°C**.

Cable **2m black cable + black ceiling plate.**
Material **Iron**.
IP Rating **IP20.**



IP20





Abel



VK/03118PE

VK/03118PE


Code	Model	Box
75169-222115	**VK/03118PE/B** ● **Black.** E27. Max 20W (LED).	**1pc**
75169-223115	**VK/03118PE/GD** ● **Gold.** E27. Max 20W (LED).	**1pc**

Details

Voltage **240V**.
E27.
Working temperature **-20ºC ~ 40ºC**.
Cable **2m black fabric cable + black ceiling plate.**
Material **Metal**.
IP Rating **IP20.**
Guarantee **2 years**

IP20





Abel



VK/03119PE

VK/03119PE

Code	Model	Box
75169-224115	**VK/03119PE/B** ● **Black.** E27. Max 20W (LED).	**1pc**
75169-225115	**VK/03119PE/GD** ● **Gold.** E27. Max 20W (LED).	**1pc**


Details

Voltage **240V**.
E27.
Working temperature **-20ºC ~ 40ºC**.
Cable **2m black fabric cable**

+ black ceiling plate.
Material **Metal**.
IP Rating **IP20.**
Guarantee **2 years**

IP20





Abel



VK/03120PE

VK/03120PE


Code	Model	Box
75169-226115	**VK/03120PE/B** ● **Black.** E27. Max 20W (LED).	**1pc**

Details

Voltage **240V**.
E27.
Working temperature **-20ºC ~ 40ºC**.
Cable **2m black fabric cable + black ceiling plate.**
Material **Metal**.
IP Rating **IP20.**
Guarantee **2 years**

IP20





Abel



VK/03121PE

VK/03121PE


Code	Model	Box
75169-228115	**VK/03121PE/B** ● Black. E27. Max 20W (LED).	**1pc**
75169-227115	**VK/03121PE/GD** ● Gold. E27. Max 20W (LED).	**1pc**

Details

Voltage **240V**.
E27.
Working temperature **-20ºC ~ 40ºC**.
Cable **2m black fabric cable + black ceiling plate.**
Material **Metal**.
IP Rating **IP20.**
Guarantee **2 years**

IP20





Abel



VK/03180PE

VK/03180PE


Code	Model	Box
75169-482724	**VK/03180PE/B**	**1pc**
	● **Black.** E27. Max 20W (LED)	

Details

Voltage **240V**.
E27.
Working temperature **-20ºC ~ 40ºC**.
Cable **2m black cable + black ceiling plate.**

Material **Iron**.
IP Rating **IP20.**
Guarantee **2 years**

IP20





Abel



VK/03122PE

VK/03122PE


Code	Model	Box
75169-229115	**VK/03122PE/GD** ● **Gold.** E27. Max 20W (LED)	**1pc**
75169-230115	**VK/03122PE/W** ❍ **White.** E27. Max 20W (LED)	**1pc**

Details

Voltage **240V**.
E27.
Working temperature **-20°C ~ 40°C**.
Cable **2m white cable + white ceiling plate.**

Material **Metal**.
IP Rating **IP20.**
Guarantee **2 years**

IP20





Igi




VK/03105PE



VK/03105PE/2

VK/03105PE
VK/03105PE/2

Code	Model	Box
75169-252108	**VK/03105PE/W** ○ **White sanded.** GU10. Max 12W (LED).	**20pcs**
75169-253108	**VK/03105PE/B** ● **Black sanded.** GU10. Max 12W (LED).	**20pcs**
75169-254108	**VK/03105PE/2/W** ○ **White sanded.** GU10x2. Max 2x12W (LED).	**10pcs**
75169-255108	**VK/03105PE/2/B** ● **Black sanded.** GU10x2. Max 2x12W (LED).	**10pcs**



Details

Voltage **240V**.
GU10/Par16.
Working temperature **-20°C ~ 40°C**.

Cable **1.20 m + ceiling plate**.
Material **Aluminium**, **metal.**
Guarantee **2 years**

IP20


Igi



VK/03105PE/3/B

VK/03105PE/3

Code	Model	Box
75169-256108	**VK/03105PE/3/W** ○ **White sanded.** GU10x3. Max 3x12W (LED)	**6pcs**
75169-257108	**VK/03105PE/3/B** ● **Black sanded.** GU10x3. Max 3x12W (LED)	**6pcs**



Details


Voltage **240V**.
GU10/Par16.
Working temperature **-20°C ~ 40°C**.

Cable **1.20 m + ceiling plate**.
Material **Aluminium, metal.**
Guarantee **2 years**

IP20

Edelle





VK/03087/PE/20/B **VK/03087/PE/30/W** **VK/03087/PE/50/DB**

VK/03087/PE/20

Code	Model	Box
75169-278108	VK/03087/PE/20/B ● **Sanded black.** GU10. Max. 12W. (LED)	25pcs
75169-277108	VK/03087/PE/20/W ○ **Sanded white.** GU10. Max. 12W. (LED)	25pcs
75169-279108	VK/03087/PE/20/DB ● **Dark Bronze.** GU10. Max. 12W. (LED)	25pcs

VK/03087/PE/30

Code	Model	Box
75169-280108	VK/03087/PE/30/B ● **Sanded black.** GU10. Max. 12W. (LED)	20pcs
75169-281108	VK/03087/PE/30/W ○ **Sanded white.** GU10. Max. 12W. (LED)	20pcs
75169-282108	VK/03087/PE/30/DB ● **Dark Bronze.** GU10. Max. 12W. (LED)	20pcs



VK/03087/PE/50

Code	Model	Box
75169-284108	VK/03087/PE/50/B ● **Sanded black.** GU10. Max. 12W. (LED)	10pcs
75169-283108	**VK/03087/PE/50/W** ○ **Sanded white.** GU10. Max. 12W. (LED)	10pcs
75169-285108	VK/03087/PE/50/DB ● **Dark Bronze.** GU10. Max. 12W. (LED)	10pcs

Details

Material **aluminium+iron**
Location **Ceiling**
Input voltage **230V**

Lampholder **GU10**
Cable length **1500mm**
Guarantee **2 years**

IP20

Ozz



&



VK/03163/B

VK/05169

VK/03163

Code
75169-007733


Model
VK/03163/B
● **Black sanded.** E27. Max 20W (LED).

Box
1pc

Details

Voltage **240V.**
E27.
Working temperature **-20°C ~ 40°C.**


Cable **1 m + ceiling plate.**
Material **Metal**.
Guarantee **2 years**



IP20




VK/05169
Dark Grey






VK/05170
Dark Grey






VK/05171
Dark Grey





VK/05173
Amber





VK/05174
Dark Grey

