

Reading Lights

Aira





VK/04575/WA/W

Adjustable **Recessed**

VK/04575/WA

Code	Model	Box
64171-282727	VK/04575/WA/W/W ❍ **White.** 3000K. 6W. 545lm. CRI>80	20pcs
64171-283727	VK/04575/WA/B/W ● **Black.** 3000K. 6W. 545lm. CRI>80	20pcs





Details


Material **Aluminium & iron**
Lighting source **CREE COB**
Led driver **EAGLERISE 6W500mA,**
Driver output **2.8-12V**
Voltage **AC220-240V**
Location **Wall recessed**

Color led **3000K**
Beam angle **25°**
Working temperature **-20°C - 50°C**
Lifetime **50.000hrs**
Dimmable **No**
Guarantee **3 Years**

Cut hole



Adjustable **IP20**



Aira




VK/04573/WA/W

Adjustable

VK/04573/WA

Code	Model	Box
64171-278727	VK/04573/WA/W/W ❍ **White.** 3000K. 6W. 545lm. CRI>80	20pcs
64171-279727	VK/04573/WA/B/W ● **Black.** 3000K. 6W. 545lm. CRI>80	20pcs



Details

Material **Aluminium & iron**
Lighting source **CREE COB**
Led driver **EAGLERISE 6W500mA,**
Driver output **2.8-12V**
Voltage **AC220-240V**
Location **Wall**

Color led **3000K**
Beam angle **25°**
Working temperature **-20°C - 50°C**
Lifetime **50.000hrs**
Dimmable **No**
Guarantee **3 Years**

Adjustable

IP20



Aira




VK/04576/WA/W/W

Adjustable

VK/04576/WA

Code	Model	Box
64171-284727	VK/04576/WA/W/W ❍ **White.** 3000K. 6W+6W. 767lm. CRI>80	20pcs
64171-285727	VK/04576/WA/B/W ● **Black.** 3000K. 6W+6W. 767lm. CRI>80	20pcs



Details

Material **Aluminium & iron & glass**
Lighting source **CREE COB + EDISON 0.5x16**
Led driver **EAGLERISE 6W500mA + 6W350mA**
Driver **output 5-18V**
Voltage **AC220-240V**
Location **Wall**

Color led **3000K**
Beam angle **120° + 25°**
Working temperature **-20°C - 50°C**
Lifetime **50.000hrs**
Dimmable **No**
Guarantee **3 Years**

Adjustable

IP20



Aira



VK/04574/WA/B/W

VK/04574/WA

Code	Model	Box
64171-280727	VK/04574/WA/W/W ○ **White.** 3000K. 6W. 545lm. CRI>80	20pcs
64171-281727	VK/04574/WA/B/W ● **Black.** 3000K. 6W. 545lm. CRI>80	20pcs


Details


Material **Aluminium & iron**
Lighting source **CREE COB**
Led driver **EAGLERISE 6W500mA,**
Driver output **2.8-12V**
Voltage **AC220-240V**
Location **Wall**


Color led **3000K**
Beam angle **25°**
Working temperature **-20°C - 50°C**
Lifetime **50.000hrs**
Dimmable **No**
Guarantee **3 Years**



IP20







Owl




VK/04236/W/W

VK/04236

Code
64174-944724

Model
VK/04236/W/W
❍ **White.** 3000K. 78lm. 7W.

Box
3pcs



IP20

Details

AC **220-240V** Driver **(Included)**.
CRI>**82**.
Type of Led **SMD 5730**.
Working temperature **-20ºC→ 30ºC**.

Lifetime **50.000hrs**.
Clicks 30.000.
Material **Aluminium**.
Guarantee **2 years**.



Jak



VK/04233/B/W

VK/04233


Code	Model	Box
64171-270727	**VK/04233/W/W** ○ **White.** 3000K. 594lm. 3W & 6W.	**10pcs**
64171-271727	**VK/04233/B/W** ● **Black.** 3000K. 594lm. 3W & 6W.	**10pcs**

Details

Voltage **220-240V**.
CRI>**80**.
Type of LED **SMD Samsung 3535/ Edison 2835**.
Beam angle **25º.**

No dimmable.
Lifetime **30.000hrs**.
Working temperature **-20ºC→ 45ºC**.
Material **Aluminium, iron, acrylic.**
Guarantee **2 years**.

IP20






Jak



VK/04229/B/W

VK/04229 with USB

Code	Model	Box
64171-258727	**VK/04229/W/W** ○ **White.** 3000K. 694lm. 3W & 6W.	**12pcs**
64171-259727	**VK/04229/B/W** ● **Black.** 3000K. 694lm. 3W & 6W.	**12pcs**



Details

Voltage **220-240V**.
CRI>**80**.
Type of LED **SMD Samsung 3535/ Edison 2835**.
Beam angle **25º.**
No dimmable.

Lifetime **30.000hrs**.
Working temperature **-20ºC→ 45ºC**.
Material **Aluminium, iron, acrylic.**
USB charger.
Guarantee **2 years**.



IP20



Jak



VK/04110/B/W

(With switch)





VK/04110NS/W/W

(No switch)

VK/04110 (With Switch)
VK/04110NS (No Switch)

Code	Model	Box
64171-053126	**VK/04110/W/W** ○ **White.** 3000K. 100lm. 3W. With Switch	**50pcs**
64171-054126	**VK/04110/B/W** ● **Black.** 3000K. 100lm. 3W. With Switch	**50pcs**
64171-073126	**VK/04110NS/W/W** ○ **White.** 3000K. 100lm. 3W. NO switch.	**50pcs**
64171-072126	**VK/04110NS/B/W** ● **Black.** 3000K. 100lm. 3W. NO switch.	**50pcs**





Details

AC **100-240V** Driver **(Included)**.
CRI>**80**.
Beam Angle **25°.**
Type of Led **CREE**.
Working temperature **-20ºC→ 45ºC**.

Lifetime **50.000hrs**.
Clicks 50.000.
Material **Aluminium, spiral.**
Guarantee **2 years**.



IP20



Olo



VK/04231/W/W/40/L




VK/04231/W/W/40/R

LEFT

RIGHT

VK/04231/40/L
VK/04231/40/R

Code	Model	Box
64171-264727	**VK/04231/W/W/40/L** ○ **White.** 3000K. 754lm. 3W & 2x6W.	**20pcs**
64171-265727	**VK/04231/B/W/40/L** ● **Black.** 3000K. 754lm. 3W & 2x6W.	**20pcs**
64171-276727	**VK/04231/W/W/40/R** ○ **White.** 3000K. 754lm. 3W & 2x6W.	**20pcs**
64171-277727	**VK/04231/B/W/40/R** ● **Black.** 3000K. 754lm. 3W & 2x6W.	**20pcs**



Details

Voltage **220-240V**.
CRI>**80**.
Type of LED **SMD Samsung 3535/Edison 2835**. Beam angle **25º.**
No dimmable.

Lifetime **30.000hrs**.
Working temperature **-20ºC→ 45ºC**.
Material **Aluminium, iron, acrylic.**
Guarantee **2 years**.

IP20



Olo



VK/04230/B/W/30/L




VK/04230/B/W/60/L

LEFT

VK/04230/30/L
VK/04230/60/L


Code	Model	Box
64171-260727	**VK/04230/W/W/30/L** ○ **White.** 3000K. 502lm. 3W & 6W.	**20pcs**
64171-261727	**VK/04230/B/W/30/L** ● **Black.** 3000K. 502lm. 3W & 6W.	**20pcs**
64171-262727	**VK/04230/W/W/60/L** ○ **White.** 3000K. 690lm. 3W & 12W.	**20pcs**
64171-263727	**VK/04230/B/W/60/L** ● **Black.** 3000K. 690lm. 3W & 12W.	**20pcs**



Details

Voltage **220-240V**.
CRI>**80**.
Type of LED **SMD Samsung 3535/ Edison 2835**.
Beam angle **25º.**

No dimmable.
Lifetime **30.000hrs**.
Working temperature **-20ºC→ 45ºC**.
Material **Aluminium, iron, acrylic.**
Guarantee **2 years**.



IP20

Olo



VK/04230/B/W/30/R




VK/04230/B/W/60/R


RIGHT

VK/04230/30/R
VK/04230/60/R

Code	Model	Box
64171-272727	**VK/04230/W/W/30/R** ○ **White.** 3000K. 502lm. 3W & 6W.	**20pcs**
64171-273727	**VK/04230/B/W/30/R** ● **Black.** 3000K. 502lm. 3W & 6W.	**20pcs**
64171-274727	**VK/04230/W/W/60/R** ○ **White.** 3000K. 690lm. 3W & 12W.	**20pcs**
64171-275727	**VK/04230/B/W/60/R** ● **Black.** 3000K. 690lm. 3W & 12W.	**20pcs**







IP20


Archie



VK/04178/WA/AN

VK/04178

Code	Model	Box
64174-021126	**VK/04178/WA/W/W** ○ **White.** 3000K. 120lm. 2W.	**10pcs**
64174-022126	**VK/04178/WA/W/C** ○ **White.** 4000K. 120lm. 2W.	**10pcs**
64174-023126	**VK/04178/WA/AN/W** ● **Anthracite.** 3000K. 120lm. 2W.	**10pcs**
64174-024126	**VK/04178/WA/AN/C** ● **Anthracite.** 4000K. 120lm. 2W.	**10pcs**



Details

AC **100-265V** Driver **(Included)**.
CRI>**80**.
Beam Angle **24°.**
Type of Led **CREE High power**.

Working temperature **-20ºC→ 40ºC**.
Lifetime **50.000hrs**.
Material **Aluminium**.
Guarantee **2 years**.




Ellis



VK/04155/WA/W

VK/04155

Code	Model	Box
64171-064126	**VK/04155/WA/B/W** ● **Black matt.** 3000K. 110lm. 3W.	**20pcs**
64171-065126	**VK/04155/WA/W/W** ○ **White.** 3000K. 110lm. 3W.	**20pcs**



Details

AC **100-265V** Driver **(Included)**.
CRI>**80**.
Beam Angle **30°.**
Type of Led **CREE**.

Working temperature **-20ºC→ 40ºC**.
Lifetime **50.000hrs**.
Material **Aluminium**.
Guarantee **2 years**.

IP20

Milo



VK/04177/WA/B/W





VK/04175/WA/B/W

with USB

VK/04177
VK/04175

Code	Model	Box
64171-071126	**VK/04177/WA/B/W** ● **Black matt.** 3000K. 175lm. 3W.	**40pcs**
64171-070126	**VK/04177/WA/W/W** ○ **White.** 3000K. 175lm. 3W.	**40pcs**
64171-067126	**VK/04175/WA/B/W** ● **Black matt.** 3000K. 110lm. 3W.	**40pcs**
64171-066126	**VK/04175/WA/W/W** ○ **White.** 3000K. 110lm. 3W.	**40pcs**





Details

AC **100-265V** Driver **(Included)**.
CRI>**80**. Beam Angle **30°.**
Type of Led **3535**.
Working temperature **-20ºC→ 40ºC**.

Lifetime **30.000hrs**.
Material **Aluminium**.
USB charger.
Guarantee **3 years**.

IP20


Milo



VK/04154/WA/W/W

VK/04154

Code	Model	Box
64171-062126	**VK/04154/WA/B/W** ● **Black matt.** 3000K. 110lm. 3W.	**20pcs**
64171-063126	**VK/04154/WA/W/W** ○ **White.** 3000K. 110lm. 3W.	**20pcs**



Details

AC **100-265V** Driver **(Included)**.
CRI>**80**.
Beam Angle **30º.**
Type of Led **3535**.

Working temperature **-20ºC→ 40ºC**.
Lifetime **30.000hrs**.
Material **Aluminium**.
Guarantee **3 years**.



IP20





Obo



VK/04151/WA/W/W





VK/04153/WA/B/W




VK/04151
VK/04153

Code	Model	Box
64171-055126	**VK/04151/WA/B/W** ● **Black matt.** 3000K. 110lm. 3W.	**30pcs**
64171-056126	**VK/04151/WA/W/W** ○ **White.** 3000K. 110lm. 3W.	**30pcs**
64171-060126	**VK/04153/WA/B/W** ● **Black matt.** 3000K. 110lm. 3W.	**25pcs**
64171-061126	**VK/04153/WA/W/W** ○ **White.** 3000K. 110lm. 3W.	**25pcs**







Details

AC **100-265V** Driver **(Included)**.
CRI>**80**.
Beam Angle **30°.**
Type of Led **3535**.

Working temperature **-20ºC→ 40ºC**.
Lifetime **30.000hrs**.
Material **Aluminium**.
Guarantee **3 years**.

IP20


Obo



VK/04152/WA/BS/W

VK/04152

Code	Model	Box
64171-057126	**VK/04152/WA/B/W** ● **Black matt.** 3000K. 210lm. 3W.	**50pcs**
64171-058126	**VK/04152/WA/BS/W** ● **Brushed brass.** 3000K. 210lm. 3W.	**50pcs**
64171-059126	**VK/04152/WA/W/W** ○ **White.** 3000K. 210lm. 3W.	**50pcs**



Details

AC **100-265V** Driver **(Included)**.
CRI>**80**.
Beam Angle **30º.**
Type of Led **CREE**.

Working temperature **-20ºC→ 40ºC**.
Lifetime **50.000hrs**.
Material **Aluminium**.
Guarantee **2 years**.

IP20

Obo




VK/04176/WA/W/W

with USB

VK/04176

Code	Model	Box
64171-069126	**VK/04176/WA/B/W** ● **Black matt.** 3000K. 110lm. 3W.	**10pcs**
64171-068126	**VK/04176/WA/W/W** ○ **White.** 3000K. 110lm. 3W.	**10pcs**



Details

AC **100-265V** Driver **(Included)**.
CRI>**80**. Beam Angle **30°.**
Type of Led **CREE**.
Working temperature **-20ºC→ 40ºC**.

Lifetime **50.000hrs**.
Material **Aluminium**.
USB charger.
Guarantee **2 years**.

IP20

Theo




VK/04232/B/W

with USB

VK/04232

Code	Model	Box
64171-268727	**VK/04232/W/W** ○ **White.** 3200K. 205lm. 3W.	**20pcs**
64171-269727	**VK/04232/B/W** ● **Black.** 3200K. 205lm. 3W.	**20pcs**



Details

AC **220-240V** Driver **(Included)**.
CRI>**70**.
Beam Angle **25°.**
Type of Led **SMD 3535**.

Working temperature **-20ºC→ 45ºC**.
Lifetime **30.000hrs**.
Material **Aluminium, iron**.
USB charger. Guarantee **2 years**.

IP20


Square



VK/04224/W

VK/04224

Code	Model	Box
75169-042721	**VK/04224/W/W** ❍ **White matt.** 3000K. 40lm. 3W.	**50pcs**
75169-044721	**VK/04224/W/C** ❍ **White matt.** 4000K. 40lm. 3W.	**50pcs**



Details

AC Driver **100-240V (Included)**.
CRI>**80**.
Beam Angle **Diffuser light.**
Type of Led **CREE XPE**.

Lifetime **50.000hrs**.
Working temperature **< 45°C**.
Material **Aluminium**.
Guarantee **3 years.**

IP20




Round



VK/04225/W

VK/04225


Code	Model	Box
75169-043721	**VK/04225/W/W** ○ **White matt.** 3000K. 110lm. 1W. CRI>80	**50pcs**




Details

AC **100-240V** Driver **(Included)**.
Type of Led **Edison**.
Lifetime **50.000hrs**.
Clicks **20.000.**

Working temperature **< 45°C**.
Material **Aluminium**.
Guarantee **3 years.**




IP20




Sino

VK/04245, VK/04244, VK/04246


Code	Model	Color	Kelvin	Lumen	Watt	Degrees	CRI	Box
64174-029126	**VK/04245/MC/W**	● Matt Nickel	**3000K**	300lm	2W	120º	**CRI>70**	**30pcs**
64174-028126	**VK/04245/MC/D**	● Matt Nickel	**6000K**	300lm	2W	120º	**CRI>70**	**30pcs**
64174-032126	**VK/04245/MC/BL**	● Matt Nickel	**Blue**	300lm	2W	120º	**CRI>70**	**30pcs**
64174-027126	**VK/04244/MC/W**	● Matt Nickel	**3000K**	300lm	2W	120º	**CRI>70**	**30pcs**
64174-026126	**VK/04244/MC/D**	● Matt Nickel	**6000K**	300lm	2W	120º	**CRI>70**	**30pcs**
64174-033126	**VK/04244/MC/BL**	● Matt Nickel	**Blue**	300lm	2W	120º	**CRI>70**	**30pcs**
64174-031126	**VK/04246/MC/W**	● Matt Nickel	**3000K**	300lm	2W	120º	**CRI>70**	**30pcs**
64174-030126	**VK/04246/MC/D**	● Matt Nickel	**6000K**	300lm	2W	120º	**CRI>70**	**30pcs**
64174-034126	**VK/04246/MC/BL**	● Matt Nickel	**Blue**	300lm	2W	120º	**CRI>70**	**30pcs**



VK/04245



VK/04244



VK/04246

Details

Voltage **230V**.
Type of LED **SMD 5730**.
CRI>**70**.
Beam angle **120º.**
No dimmable.

Lifetime **30.000hrs**.
Working temperature **-20ºC→ 45ºC**.
Material **Acrylic, iron base.**
Guarantee **2 years**.

IP20


619
620


Hat



VK/04034/MC/B

VK/04034

Code	Model	Box
64171-029171	**VK/04034/MC/W** ○ **White shade.** Nickel. E27. Max. 20W (LED).	**10pcs**
64171-028171	**VK/04034/MC/B** ● **Black shade.** Nickel. E27. Max. 20W (LED).	**10pcs**



Details

Voltage **240V**.
Lampholder **E27**.
Led light **1W**.

Working temperature **-20ºC→ 45ºC**.
Material **Aluminium, metal,**
TC shade (included).

IP20

Hat




VK/04032/MC/B




VK/04033/MC/W

VK/04032
VK/04033

Code	Model	Box
64171-025171	**VK/04032/MC/W** ○ **White shade.** Nickel. E14. Max. 9W (LED).	**10pcs**
64171-024171	**VK/04032/MC/B** ● **Black shade.** Nickel. E14. Max. 9W (LED).	**10pcs**
64171-027171	**VK/04033/MC/W** ○ **White shade.** Nickel mat. E14. Max. 9W (LED).	**10pcs**
64171-026171	**VK/04033/MC/B** ● **Black shade.** Nickel mat. E14. Max. 9W (LED).	**10pcs**





Details

Voltage **240V**.
Lampholder **E14**.
Led light **1W**.
Working temperature **-20ºC→ 45ºC**.

Material **Aluminium, metal, TC shade (included).**
IP Rating IP20.

IP20


Wally




VK/03312/WA/MCW

VK/03312/WA

Code	Model	Box
75169-292108	**VK/03312/WA/MCB** ● ● **Metal/Black.** E27. Max. 20W (LED).	**10pcs**
75169-293108	**VK/03312/WA/MCW** ● ○ **Metal/White.** E27. Max. 20W (LED).	**10pcs**
75169-294108	**VK/03312/WA/WW** ○ **White.** E27. Max. 20W (LED).	**10pcs**
75169-295108	**VK/03312/WA/BB** ● **Black.** E27. Max. 20W (LED).	**10pcs**





Details

Material **iron+cotton shade**
Location **Wall**
Input voltage **220-240V**

Lampholder **E27**
With switch

IP20




Adair



VK/04023/BS

VK/04023

Code	Model	Box
64171-011171	**VK/04023/C** ● **Chrome.** 50lm. 1W.	**10pcs**
64171-021171	**VK/04023/MC** ● **Brushed Chrome.** 50lm. 1W.	**10pcs**
64171-022171	**VK/04023/BS** ● **Brass.** 50lm. 1W.	**10pcs**



Details

AC **240V** Driver **(Included)**.
CRI>**80**.
Beam Angle **25°.**
Type of Led **CREE**.

Working temperature **-20ºC→ 45ºC**.
Lifetime **50.000hrs**.
Material **Aluminium.**
Guarantee **2 years**.

IP20



VK/04031/SPIRAL/H5

VK/04031/SPIRAL

Code	Model	Box
64171-024126	**VK/04031/SPIRAL/H5** ● **Chrome.**	**10pcs**

Details

Spiral **30x0.8cm. Head 5cm.**



VK/04031/CREE

VK/04031/CREE

Code	Model	Box
64171-026126	**VK/04031/CREE** **1W.**	**10pcs**

Details

Led **CREE.** Watt **1W.**



VK/04031/LENS

VK/04031/LENS

Code	Model	Box
64171-027126	**VK/04031/LENS**	**10pcs**

Details

Lens.



VK/04031/DRIVER

1.8cm | 1.8cm
1.8cm | 3.6cm

VK/04031/DRIVER

Code	Model	Box
64171-028126	**VK/04031/DRIVER** **300mA. 1W. DC300mA.** **L3.6xW1.8xH1.8cm**	**10pcs**


Details

Voltage **100-240V**. Watt **1W**. Material **Plastic.**
Guarantee **2 years**.

IP20



VK/SW1/1



VK/SW1/1

Code	Model	Box
64171-031126	**VK/SW1/1** **Switch On-Off.**	**10pcs**


Details

Material **Metal.** Guarantee **3 years**.

IP20



VK/SW1/2



VK/SW1/2

Code	Model	Box
64171-032126	**VK/SW1/2** Switch On-Off-On.	**10pcs**


Details

Material **Metal.** Guarantee **3 years**.

IP20



VK/SW2/1



VK/SW2/1

Code	Model	Box
64171-033126	**VK/SW2/1** **Switch On-Off.**	**10pcs**

Details

Material **Plastic.** Guarantee **3 years**.


IP20





Step Lights Led

Fune



VK/04571/BASE/W

+



VK/04571/FRAME/CH

VK/04571/BASE/W

Code	Model	Box
75169-246115	VK/04571/BASE/W 3000K. 1.5W. 80lm. CRI>80	50pcs


VK/04571/FRAME


Code	Model	Box
75169-247115	VK/04571/FRAME/W ○ **White.** Led Light Frame	250pcs
75169-248115	VK/04571/FRAME/B ● **Black.** Led Light Frame	250pcs
75169-249115	VK/04571/FRAME/CG ● **Champagne gold.** Led Light Frame	250pcs
75169-250115	VK/04571/FRAME/CH ● **Nickel** Led Light Frame	250pcs


Details

Material **Steel+PC+Plastic**
Type of Led **SMD**
Lighting source **3535**
Voltage **AC220-240V**
Location **Recessed Wall**

Beam angle **10°**
Working temperature **≤35°C**
Lifetime **20.000hrs**
Guarantee **2 years**









installation box



IP20




Fune



VK/04584/B/W

VK/04584

Code	Model	Box
75169-255115	**VK/04584/W/W** ○ **White.** 3000K. 1W. 90lm. CRI>80	**100pcs**
75169-254115	**VK/04584/B/W** ● **Black.** 3000K. 1W. 90lm. CRI>80	**100pcs**
75169-256115	**VK/04584/AN/W** ● **Anthracite.** 3000K. 1W. 90lm. CRI>80	**100pcs**




Details

Material **Aluminium**
Type of Led **SMD**
Lighting source **3535**
Voltage **AC220-240V**
Location **Recessed Wall**


Beam angle **40°**
Working temperature **≤35°C**
Lifetime **20.000hrs**
Guarantee **2 years**

Cut hole





IP20




Fune



VK/04585/AN/W VK/02249/S/W

VK/04585
VK/02249

Code	Model	Box
75169-258115	**VK/04585/W/W** ○ **White.** 3000K. 1W. 90lm. CRI>80. **IP20**	**100pcs**
75169-257115	**VK/04585/B/W** ● **Black.** 3000K. 1W. 90lm. CRI>80. **IP20**	**100pcs**
75169-259115	**VK/04585/AN/W** ● **Anthracite.** 3000K. 1W. 90lm. CRI>80. **IP20**	**100pcs**
75169-260115	**VK/02249/S/W** ● **Silver.** 3000K. 1W. 88lm. CRI>80. **IP67**	**100pcs**
75169-261115	**VK/02249/B/W** ● **Black.** 3000K. 1W. 88lm. CRI>80. **IP67**	**100pcs**



Details

Material **Aluminium**
Type of Led **SMD**
Lighting source **3535**
Voltage **AC220-240V (VK/04585), DC12-24V (VK/02249)**

Location **Recessed Wall**
Beam angle **40°**
Working temperature **≤55°C**
Lifetime **20.000hrs**
Guarantee **2 years**



