




Wall Decorative Lights

Noa



VK/04458



Dimmable

VK/04458

Code	Model	Box
75169-123721	**VK/04458/WA/B/W** ● **Black sand.** 3000K. 6W. 258lm. CRI>85	**1pc**

Details

Input current **0.0340mA**.
Input Voltage **DC218.9V**.
Type of Led **COB with driver**.
Input AC 220-240V 50/60Hz
Output **DC20V 0.075mA**.
Angle **95°**.
Rotation Angle **350°**.

Dimmable.
Lifetime **50.000 hrs**.
Clicks **10.000 clicks**.
Working temperature **< 75°C**.
Material **Metal**.
Guarantee **2 years.**



IP20



Detail of the LED shade and the signature junction


VEGAN


Oscar



VK/04455/WA/B/W/60

VK/04455/WA/.../60

Code	Model	Box
75169-100721	**VK/04455/WA/B/W/60** ● **Black sand.** 3000K. 5W. 716lm. CRI>90. **60cm**	12pcs
75169-101721	**VK/04455/WA/B/C/60** ● **Black sand.** 4000K. 5W. 865lm. CRI>90. **60cm**	12pcs
75169-102721	**VK/04455/WA/W/W/60** ○ **White sand.** 3000K. 5W. 716lm. CRI>90. **60cm**	12pcs
75169-103721	**VK/04455/WA/W/C/60** ○ **White sand.** 4000K. 5W. 865lm. CRI>90. **60cm**	12pcs






Details

5W: Input current **600mA**.
Input Voltage **DC9V**.
Type of Led bridgelux. **SMD with driver**.
Driver input **AC200-240V 50/60Hz**
output **DC 6-10V 600mA**.
Angle **110º**.
Rotation angle **350º**.

No Dimmable.
Lifetime **20.000 hrs**.
Working temperature **-20ºC~45ºC**.
Material **Aluminium**.
Installation **Surface-Mounted**.
Guarantee **3 years**.

IP20





VK/04455/WA/.../90

Code	Model	Box
75169-104721	**VK/04455/WA/B/W/90** ● **Black sand.** 3000K. 8W. 1208lm. CRI>90. **90cm**	**8pcs**
75169-105721	**VK/04455/WA/B/C/90** ● **Black sand.** 4000K. 8W. 1163lm. CRI>90. **90cm**	**8pcs**
75169-106721	**VK/04455/WA/W/W/90** ○ **White sand.** 3000K. 8W. 1208lm. CRI>90. **90cm**	**8pcs**
75169-107721	**VK/04455/WA/W/C/90** ○ **White sand.** 4000K. 8W. 1163lm. CRI>90. **90cm**	**8pcs**

Details

8W: Input current **700mA**.
Input Voltage **DC12V**.
Type of Led bridgelux. **SMD with driver**.
Driver input **AC200-240V 50/60Hz**
output **DC 5-12V 700mA**.
Angle **110º**.
Rotation angle **350º**.






IP20

Liv



VK/04386/WA/B



VK/04386/WA/B

Code	Model	Box
75169-009741	**VK/04386/WA/B** ● **Black**. E27. Max 20W (LED).	**1pc**

Details

Wall Light **220-240V**.
Working temperature **-20°C → 45°C**.
Material **Matt Black painting metal lamp body**, **black fabric KD shade**, **black textile cable**.
Guarantee **2 years**.

IP20



Eino




VK/03174/WA/B

VK/03174/WA

Code
75169-486730

Model
VK/03174/WA/B
● **Black.** E27. Max 20W (LED).

Box
1pc



Details

Voltage **240V**.
E27.

Material **Metal, glass.**
Guarantee **2 years**.

IP20



Apro




VK/03330/WA/NW

VK/03330/WA

Code
64174-016775

Model
VK/03330/WA/NW
● **Natural wood.** GU10. Max. 12W. (LED)

Box
1pc





Natural wood

IP20

Details

Material **Oak wood & fabric cord**
Location **Wall**

Input voltage **AC220-240V**
Lampholder **GU10**









Game




VK/03296/CE/W
With ON/OFF switch





VK/03295/CE/B
Without switch


VK/03296/CE With ON/OFF switch
VK/03295/CE Without switch

Code	Model	Box
64174-964121	VK/03296/CE/W ○ **White.** GU10. Max. 12W. (LED)	1pc
64174-965121	VK/03296/CE/B ● **Black.** GU10. Max. 12W. (LED)	1pc
64174-958121	VK/03295/CE/W ○ **White.** GU10. Max. 12W. (LED)	1pc
64174-959121	VK/03295/CE/B ● **Black.** GU10. Max. 12W. (LED)	1pc









Details

Material **Pure aluminium**
Input voltage **230V**

Location **Ceiling**
Lampholder **GU10**

IP20

Game




VK/03295/CE/2/W




VK/03295/CE/3/B

VK/03295/CE/2
VK/03295/CE/3

Code	Model	Box
64174-960121	VK/03295/CE/2/W ○ **White.** 2xGU10. Max. 2x12W. (LED)	1pc
64174-961121	VK/03295/CE/2/B ● **Black.** 2xGU10. Max. 2x12W. (LED)	1pc
64174-962121	VK/03295/CE/3/W ○ **White.** 3xGU10. Max. 3x12W. (LED)	1pc
64174-963121	VK/03295/CE/3/B ● **Black.** 3xGU10. Max. 3x12W. (LED)	1pc





Details

Material **Pure aluminium**
Input voltage **230V**

Location **Ceiling**
Lampholder **2xGU10**





IP20

Game




VK/03297/CE/BGD




VK/03297/CE/2/BGD

VK/03297/CE/BGD
VK/03297/CE/2/BGD

Code	Model	Box
64174-966121	VK/03297/CE/BGD ● ● **Black-Gold.** GU10. Max. 12W. (LED)	1pc
64174-967121	VK/03297/CE/2/BGD ● ● **Black-Gold.** 2xGU10. Max. 2x12W. (LED)	1pc





Details

Material **Pure aluminium**
Input voltage **230V**

Location **Ceiling**
Lampholder **GU10/ 2xGU10**





IP20


Game




VK/03297/CE/3/BGD

VK/03297/CE/3/BGD

Code	Model	Box
64174-968121	VK/03297/CE/3/BGD ● ● **Black-Gold.** 3xGU10. Max. 3x12W. (LED)	1pc





Details

Material **Pure aluminium**
Input voltage **230V**

Location **Ceiling**
Lampholder **2xGU10**

IP20


Trina




VK/03078CE/W



VK/03078CE/2/B





VK/03078CE

Code	Model	Box
64174-001108	**VK/03078CE/W** ○ **White sanded.** GU10. Max. 12W. (LED)	**36pcs**
64174-002108	**VK/03078CE/B** ● **Black sanded.** GU10. Max. 12W. (LED)	**36pcs**

Details

Voltage **240V**.
GU10/Par16.
Guarantee **2 years**.

Working temperature **-20°C ~ 40°C**.
Material **Aluminium, metal.**

Adjustable

IP20

VK/03078CE/2

Code	Model	Box
64174-003108	**VK/03078CE/2/W** ○ **White sanded.** GU10x2. Max 2x12W. (LED)	**18pcs**
64174-004108	**VK/03078CE/2/B** ● **Black sanded.** GU10x2. Max 2x12W. (LED)	**18pcs**

Details

Voltage **240V**.
GU10/Par16.
Guarantee **2 years**.

Working temperature **-20°C ~ 40°C**.
Material **Aluminium, metal.**


Adjustable

IP20

Trina



VK/03078CE/3/W



VK/03078CE/3

Code	Model	Box
64174-005108	**VK/03078CE/3/W** ○ **White sanded.** GU10x3. Max 3x12W. (LED)	**15pcs**
64174-006108	**VK/03078CE/3/B** ● **Black sanded.** GU10x3. Max 3x12W. (LED)	**15pcs**

Details

Voltage **240V**.
GU10/Par16.
Guarantee **2 years**.

Working temperature **-20°C ~ 40°C**.
Material **Aluminium, metal.**

Adjustable

IP20


Aina




VK/03106CE/COP



VK/03106CE/2/B





VK/03106CE

Code	Model	Box
64174-029108	**VK/03106CE/COP** ● **Copper+Black.** GU10. Max. 12W. (LED)	**24pcs**
64174-030108	**VK/03106CE/B** ● **Black.** GU10. Max. 12W. (LED)	**24pcs**

Details

Voltage **240V**.
GU10/Par16.

Working temperature **-20°C ~ 40°C**.
Material **Aluminium, iron.**

Adjustable **IP20**

VK/03106CE/2

Code	Model	Box
64174-031108	**VK/03106CE/2/COP** ● **Copper+Black.** GU10x2. Max 2x12W. (LED)	**12pcs**
64174-032108	**VK/03106CE/2/B** ● **Black.** GU10x2. Max 2x12W. (LED)	**12pcs**

Details

Voltage **240V**.
GU10/Par16.

Working temperature **-20°C ~ 40°C**.
Material **Aluminium, iron.**

Adjustable **IP20**




Inga



VK/03096WA/B

VK/03096WA

Code	Model	Box
64174-015108	**VK/03096WA/B** ● **Black sanded.** GU10. Max. 12W. (LED)	**8pcs**



Details

Voltage **240V**.
Working temperature **-20ºC→ 45ºC**.

Material **Aluminium.**
IP Rating **IP20.** Guarantee **2 years.**

IP20


Gro



VK/03161/WA/B

VK/03161/WA

Code	Model	Box
71164-014724	**VK/03161/WA/B** ● **Black.** E27. Max. 20W. (LED)	**1pc**



Details

Voltage **240V**.
E27.

Material **Metal.**
Guarantee **2 years.**

IP20

Hana



VK/03310/WA/W




VK/03310/WA/B

Updown

VK/03310/WA

Code	Model	Box
75169-288108	VK/03310/WA/W ○ **Sanded white.** GU10x2. Max. 2x12W. (LED)	20pcs
75169-289108	**VK/03310/WA/B** ● **Sanded black.** GU10x2. Max. 2x12W. (LED)	20pcs



Details

Material **aluminium**
Location **Wall**
Input voltage **230V**

Lampholder **2xGU10**
Guarantee **2 years**.



IP20



Hana



VK/03311/WA/W




VK/03311/WA/B

Updown

VK/03311/WA


Code	Model	Box
75169-290108	VK/03311/WA/W ❍ **Sanded white.** GU10x2. Max. 2x12W. (LED)	20pcs
75169-291108	**VK/03311/WA/B** ● **Sanded black.** GU10x2. Max. 2x12W. (LED)	20pcs




Details

Material **aluminium**
Location **Wall**
Input voltage **230V**

Lampholder **2xGU10**
Guarantee **2 years**.



IP20



Mia



VK/03077WA/AL




VK/03077WA/COP

Updown

VK/03077WA

Code	Model	Box
75169-225108	**VK/03077WA/AL** ● **Aluminium+Frosted glass.** G9. Max 8W. (LED)	**20pcs**
75169-226108	**VK/03077WA/COP** ● **Copper+Frosted glass.** G9. Max 8W. (LED)	**20pcs**



Details

Voltage **220-240V**.
G9.

Material **Aluminium.**
Guarantee **2 years**.



IP20



Ase




VK/03072WA/BGD

Updown

VK/03072WA

Code	Model	Box
75169-220108	**VK/03072WA/BGD** ● **Black+Gold sanded.** G9. Max 8W. (LED)	**20pcs**



Details

Voltage **220-240V**.
G9.

Material **Aluminium.**



IP20



Kub




VK/03073WA/BGD

Updown

VK/03073WA

Code	Model	Box
75169-221108	**VK/03073WA/BGD** ● **Black+Gold sanded.** G9. Max 8W. (LED)	**20pcs**



Details

Voltage **220-240V**.
G9.

Material **Aluminium.**



IP20



Frey




VK/03074WA/BGD

Updown

VK/03074WA


Code	Model	Box
75169-222108	**VK/03074WA/BGD** ● **Black+Gold sanded.** G9. Max 8W. (LED)	**20pcs**



Details

Voltage **220-240V**.
G9.

Material **Aluminium.**



IP20



Slot




VK/03075WA/BGD

Updown

VK/03075WA

Code	Model	Box
75169-223108	**VK/03075WA/BGD** ● **Black+Gold sanded.** G9. Max 8W. (LED)	**20pcs**



Details

Voltage **220-240V**.
G9.

Material **Aluminium.**



Nor




VK/03076WA/BGD

Updown

VK/03076WA

Code	Model	Box
75169-224108	**VK/03076WA/BGD** ● **Black+Gold sanded.** G9. Max 8W. (LED)	**20pcs**



Details

Voltage **220-240V**.
G9.

Material **Aluminium.**

IP20



Olia



VK/03128WA/BGD





VK/03127WA/BGD

Updown

VK/03128WA
VK/03127WA

Code	Model	Box
75169-276108	**VK/03128WA/BGD** ● **Black+Gold.** G9. Max 8W. (LED)	**20pcs**
75169-275108	**VK/03127WA/BGD** ● **Black+Gold.** G9. Max 8W. (LED)	**20pcs**





Details

Voltage **220-240V**.
G9.

Material **Aluminium.**



IP20



Lynea



VK/04223/W/15




VK/04223/W/25



VK/04223/W/35

VK/04223/W/15
VK/04223/W/25
VK/04223/.../35


Code	Model	Box
75169-039721	**VK/04223/W/15/W** ○ **White sand.** 3000K. 305lm. 5W. 15cm	**50pcs**
75169-040721	**VK/04223/W/25/W** ○ **White sand.** 3000K. 493lm. 7W. 25cm	**30pcs**
75169-041721	**VK/04223/W/35/W** ○ **White sand.** 3000K. 1502lm. 10W. 35cm	**20pcs**
75169-140721	**VK/04223/B/35/W** ● **Black sand.** 3000K. 1502lm. 10W. 35cm	**20pcs**



Details

AC **220-240V** Driver **(Included)**.
Beam Angle **Diffuse light.**
Type of Led **Bridgelux 2835**.
Lifetime **50.000hrs**.

Working temperature **<45ºC**.
Material **Aluminium.**
CRI**>80**
Guarantee **3 years**.



IP20



Ray




VK/04133WA/B/W

Updown

VK/04133WA

Code	Model	Box
75169-258108	**VK/04133WA/W/W** ○ **White sanded.** 3000K. 685lm. 6W. CRI>80.	**10pcs**
75169-259108	**VK/04133WA/B/W** ● **Black sanded.** 3000K. 685lm. 6W. CRI>80.	**10pcs**




Details

AC **220-240V** Driver **(Included)**.
Beam Angle **120º.**
Type of Led **SMD Edison**.
Lifetime **50.000hrs**.

Working temperature **-20ºC→ 45ºC**.
Material **Aluminium.**
Guarantee **2 years**.



IP20




Eli



VK/04180/WA/GD/W

VK/04180/WA

Code	Model	Box
75169-356695	**VK/04180/WA/W/W** ○ **White.** 3000K. 213lm. 2W. CRI>80.	**5pcs**
75169-357695	**VK/04180/WA/B/W** ● **Black.** 3000K. 213lm. 2W. CRI>80.	**5pcs**
75169-358695	**VK/04180/WA/GD/W** ● **Gold.** 3000K. 213lm. 2W. CRI>80.	**5pcs**



Details

AC **220-240V** Driver **(Included)**.
Beam Angle **120º.**
Type of Led **CREE**.
Lifetime **30.000hrs**.

Working temperature **-20ºC→ 40ºC**.
Material **Iron.**
Guarantee **2 years**.

IP20


fish
TOLSTOY

Thora




VK/03069/WA/BR



VK/03069/2/WA/BR

VK/03069/WA
VK/03069/2/WA

Code	Model	Box
64171-055697	**VK/03069/WA/BR** ● **Brown.** G9. Max 8W. (LED)	**8pcs**
64171-056697	**VK/03069/2/WA/BR** ● **Brown.** 2xG9. Max 2x8W. (LED)	**6pcs**



Details

Voltage **230V**.
G9.

Material **Metal, glass.**
IP Rating **IP20.**

IP20



Kam



VK/04009/AL





VK/04010/AL

Updown

VK/04009
VK/04010

Code	Model	Box
75169-209108	**VK/04009/AL** ▪ **Aluminium.** 3000K. 180lm (90lmx2). 2W (2x1W).	**10pcs**
75169-204108	**VK/04010/AL** ▪ **Aluminium.** 3000K. 360lm (90lmx4). 4W (4x1W).	**10pcs**






Details

AC **100-240V** Driver **(Included)**.
Beam Angle **60º.**
Type of Led **High Power Led Edison**.
Lifetime **20.000hrs**.

Working temperature **-20ºC→ 45ºC**.
Material **Aluminium.**
CRI>80.
Guarantee **2 years**.



IP20

Kam




VK/04008/AL

Updown

VK/04008


Code	Model	Box
75169-210108	**VK/04008/AL**	**10pcs**
	■ **Aluminium.** 3000K. 540lm (90lmx6). 6W (6x1W).	



Details

AC **100-240V** Driver **(Included)**.
Beam Angle **60º.**
Type of Led **High Power Led Edison**.
Lifetime **20.000hrs**.

Working temperature **-20ºC→ 45ºC**.
Material **Aluminium.**
CRI>80.
Guarantee **2 years**.



IP20

Frame



VK/09017




VK/09015





VK/09016

VK/09017
VK/09015
VK/09016

Code	Model	Box
64174-236131	**VK/09017** ❍ **White.** 3000K. 5W. 220lm. CRI>80	**8pcs**
64174-234131	**VK/09015** ❍ **White.** 3000K. 12W. 598lm. CRI>80	**8pcs**
64174-235131	**VK/09016** ❍ **White.** 3000K. 17W. 891lm. CRI>80	**5pcs**











IP20

Details

AC Driver **220-240V (Included)**.
Beam Angle **Diffuser light.**
Type of Led **SMD 5050**.
No Dimmable.
Lifetime **30.000 hrs**.

Working temperature **< 45°C**.
Material **Gypsum**.
Possibility to paint.
Guarantee **2 years**.

Anne




VK/09010

VK/09010

Code
64174-229131

Model
VK/09010
○ **White.** E14. Max 9W. (LED)

Box
6pcs





Details

Voltage **240V**.
E14.

Material **Gypsum.**
Possibility to paint.



IP20

Eclipse



VK/09068



VK/09069


VK/09068
VK/09069

Code	Model	Box
64174-298131	**VK/09068** ○ **White.** 3000K. 4W. 206lm. CRI>80	**16pcs**
64174-299131	**VK/09069** ○ **White.** 3000K. 10W. 550lm. CRI>80	**8pcs**

Details

AC Driver **220-240V (Included)**.
Beam Angle **Diffuser light perimeter.**
Type of Led **SMD Hongli 5050**.
No Dimmable.

Lifetime **30.000 hrs**.
Working temperature **< 45°C**.
Material **Gypsum**. **Possibility to paint.**
Guarantee **2 years**.







IP20



Bod



VK/09043




VK/09044

VK/09043
VK/09044

Code
64174-262131

Model
VK/09043
❍ **White.** G9. Max 8W. (LED)

Box
18pcs






64174-263131

VK/09044
❍ **White.** G9. Max 8W. (LED)

24pcs





Details

Voltage **240V**.
G9.

Material **Gypsum.**
Possibility to paint.

IP20

Konta




VK/09018



VK/09019


VK/09018
VK/09019

Code	Model	Box
64174-237131	**VK/09018** ○ **White.** GU10. Max 2x12W. (LED)	**9pcs**





64174-238131	**VK/09019** ○ **White.** GU10. Max 2x12W. (LED)	**9pcs**





Details

Voltage **240V**.
GU10x2.

Material **Gypsum.**
Possibility to paint.

IP20

Kare




VK/09013

VK/09013

Code
64174-232131

Model
VK/09013
○ **White.** E14. Max 9W. (LED)

Box
6pcs



Details

Voltage **240V**.
E14.

Material **Gypsum.**
Possibility to paint.

IP20



Dag




VK/09011

VK/09011

Code
64174-230131

Model
VK/09011
○ **White.** E14. Max 9W. (LED)

Box
12pcs



Details

Voltage **240V**.
E14.

Material **Gypsum.**
Possibility to paint.

IP20



Hol



VK/09014

VK/09014

Code
64174-233131


Model
VK/09014
❍ **White.** E14. Max 9W (LED).

Box
9pcs

Details

Voltage **240V**.
E14.

Material **Gypsum.**
Possibility to paint.



IP20



Nele




VK/09040

VK/09040

Code
64174-259131

Model
VK/09040
○ **White.** G9. Max 8W (LED).

Box
9pcs



Details

Voltage **240V**.
G9.

Material **Gypsum.**
Possibility to paint.

IP20



Nest



VK/09026




VK/09027




VK/09028

VK/09026
VK/09027
VK/09028


Code	Model	Box
64174-245131	**VK/09026** ○ **White.** 3000K. 1W. CRI>80	**8pcs**
64174-339131	**VK/09026/MR11** ○ **White.** GU10/MR11. Max 6W. (LED)	**8pcs**
64174-246131	**VK/09027** ○ **White.** GU10. Max 12W. (LED)	**4pcs**
64174-247131	**VK/09028** ○ **White.** GU10. Max 12W. (LED)	**3pcs**













Details

Voltage **240V**.
Material **Gypsum.**

Possibility to paint.

IP20

Randi




VK/09024



VK/09025


VK/09024
VK/09025

Code	Model	Box
64174-243131	**VK/09024** ○ **White.** 3000K. 1W. CRI>80	**12pcs**





64174-244131	**VK/09025** ○ **White.** 3000K. 1W. CRI>80	**8pcs**





Details

AC Driver **220-240V (Included)**.
Beam Angle **Diffuser light.**
Type of Led **CREE**.
No Dimmable.
Lifetime **30.000 hrs**.

Working temperature **< 45°C**.
Material **Gypsum**.
Possibility to paint.
Guarantee **2 years**.

IP20

Kopp




VK/09012

VK/09012

Code
64174-231131

Model
VK/09012
○ **White.** G9. Max 8W. (LED)

Box
6pcs



Details

Voltage **240V**.
G9.

Material **Gypsum.**
Possibility to paint.

IP20




Lobe



VK/09064

VK/09064

Code	Model	Box
64174-293131	**VK/09064** ○ **White.** 3000K. 7W. 401lm. CRI>80	**12pcs**



Details

AC Driver **220-240V (Included)**.
CRI>**80**.
Beam Angle **Diffuser light.**
Type of Led **COB**.
No Dimmable.

Lifetime **30.000 hrs**.
Working temperature **< 45°C**.
Material **Gypsum**.
Possibility to paint.
Guarantee **2 years**.



IP20



Toke



VK/09045


VK/09045

Code	Model	Box
64174-264131	**VK/09045** ○ **White.** 3000K. 6W. 502lm. CRI>80	**6pcs**

Details

AC Driver **220-240V (Included)**.
Beam Angle **Diffuser light.**
Type of Led **COB Edison**.
No Dimmable.
Lifetime **30.000 hrs**.

Working temperature **< 45°C**.
Material **Gypsum**.
Possibility to paint.
Guarantee **2 years**.



IP20



Viggo



VK/09065

VK/09065

Code
64174-294131


Model
VK/09065
○ **White.** 3000K. 5W. CRI>80

Box
12pcs

Details

AC Driver **220-240V (Included)**.
Beam Angle **Diffuser light.**
Type of Led **COB**.
No Dimmable.
Lifetime **30.000 hrs**.

Working temperature **< 45°C**.
Material **Gypsum**.
Possibility to paint.
Guarantee **2 years**.





IP20



Sofe




VK/09070



VK/09071


VK/09070
VK/09071

Code	Model	Box
64174-300131	**VK/09070** ❍ **White.** G9. Max 8W. (LED)	**8pcs**





64174-301131	**VK/09071** ❍ **White.** E14. Max 9W. (LED)	**8pcs**





Details

Voltage **240V**.
Material **Gypsum.**

Possibility to paint.

IP20

Don




VK/09021



VK/09020


VK/09021
VK/09020

Code	Model	Box
64174-240131	**VK/09021** ○ **White.** G9. Max 8W. (LED)	**3pcs**





64174-239131	**VK/09020** ○ **White.** E14. Max 9W. (LED)	**4pcs**





Details

Voltage **240V**.
Material **Gypsum.**

Possibility to paint.

IP20

Sil




VK/09023



VK/09022


VK/09023
VK/09022

Code	Model	Box
64174-242131	**VK/09023** ❍ **White.** 3000K. 1W. CRI>80	**12pcs**





64174-241131	**VK/09022** ❍ **White.** 3000K. 1W. CRI>80	**12pcs**





Details

AC Driver **220-240V (Included)**.
Beam Angle **Diffuser light.**
Type of Led **CREE**.
No Dimmable.
Lifetime **30.000 hrs**.

Working temperature **< 45°C**.
Material **Gypsum**.
Possibility to paint.
2 years guarantee.

IP20

Gate



VK/09042



VK/04227

VK/09042
VK/04227

Code	Model	Box
64174-261131	**VK/09042** ○ **White.** 3000K. 1W. 153lm.	**20pcs**


Details

AC Driver **220-240V (Included)**.
Beam Angle **Diffuser light.**
Type of Led **CREE**. CRI>80
No Dimmable. Lifetime **30.000 hrs**.
Working temperature **< 45°C**.
Material **Gypsum**.
Possibility to paint.
2 years guarantee.

Code	Model	Box
64174-314131	**VK/04227** ○ **White.** GU10. Max 12W. (LED)	**4pcs**

Details

Voltage **240V**.
GU10.
Material **Gypsum.**
Possibility to paint.







IP20

